

# Material Safety Data Sheet

May be used to comply with  
OSHA'S Hazard Communication Standard  
29 CFR 2910.1200. Standard must be  
consulted for specific requirements.

# U.S. DEPARTMENT OF LABOR

Occupational Safety and Health  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

Identity (As Used on Label and List)	#166, 167, 168, 170 Big D D'Vour	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	
<b>Section I</b>			
Manufacturer's Name	Big D Industries, Inc.	Emergency Telephone Number	(800) 535-5053 (800) 654-4752
Address (number, Street, City, State, and ZIP Code)	5620 S. W. 29th Street (73179)	Telephone Number for Information	(800) 654-4752 (405) 682- 2541
P. O. Box 82219		Date Prepared	06-01-2002
Oklahoma City, OK 73148		Signature of Preparer (optional)	
<b>Section II - HMIS Rating</b>			
Health	1	Flammability	0
		Reactivity	0
<b>Section III - Hazardous Ingredients/Identity Information</b>			
Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits
%(optional)			Rcmnd.
Amorphous Silica CAS #112926-00-8		10mg/m <sup>3</sup>	
Amyl Acetate CAS #628-63-7	100 ppm	100 ppm	
Ethyl Acetate CAS #141-78-6	400 ppm	400 ppm	
<b>Section IV - Physical/Chemical Characteristics</b>			
Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	N/A
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate	N/A
Solubility in Water:	Slight		
Appearance and Odor:	Slightly off white powder with pleasant fragrance		
<b>Section V - Fire and Explosion Hazard Data</b>			
Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A
Extinguishing Media	Carbon dioxide, dry foam, water spray		
Special Fire Fighting Procedures	None		
Unusual Fire and Explosion Hazards	None		

N/A = Not Applicable

N/D = Not Determined

Page 1

N/E = Not

<b>Section VI - Reactivity Data</b>			
Stability	Unstable		Conditions to Avoid: None
	Stable	X	
Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents such as nitric acid.			
Hazardous Decomposition or Byproducts: None			
Hazardous Polymerization	May Occur		Conditions to Avoid: None
	Will Not Occur	X	
<b>Section VII - Health Hazard Data</b>			
Route(s) of Entry: Inhalation? Yes      Skin? No      Ingestion? Yes			
Health Hazards (Acute and Chronic): Acute - None    Chronic - Prolonged exposure to dust may cause eye, nasal or bronchial irritation.			
Carcinogenicity: NTP? No      IARC Monographs? No      OSHA Regulated? No			
Signs and Symptoms of Exposure: None known			
Medical Conditions			
Generally Aggravated by Exposure: None known			
Emergency and First Aid Procedures: Eye contact: flush with large amounts of water. May cause corneal damage on prolonged contact. Seek medical attn.			
Ingestion: Do not give anything by mouth to an unconscious person. Seek Medical attn. Inhalation: remove person to fresh air . Seek medical attn.			
<b>Section VIII - Precautions for Safe Handling and Use</b>			
Steps to be Taken in Case Material is Released or Spilled: Sweep up and discard in trash.			
Waste Disposal Method:			
Incineration or landfill for absorbent material. Dispose in accordance with local, state, and federal regulations.			
Precautions to be Taken in Handling and Storing: Do not store near heat or open flame			
Other precautions: None			
<b>Section IX - Control Measures</b>			
Respiratory Protection (Specify Type): Dust Respirator - NIOSH approved			
Ventilation	Local Exhaust	adequate	Special N/A
	Mechanical (General)	adequate	Other N/A
Protective Gloves: Rubber or plastic for prolonged contact	Eye Protection: Safety goggles		
Other Protective Clothing or Equipment: None needed			
Work/Hygienic Practices: Good housekeeping practices. Avoid skin/eye contact. Avoid breathing dust.			

N.A. = Not Applicable

N.D. - Not Determined

Page 2

N/E = Not Established

OSHA 174, Sept. 1985

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

