
Material Safety Data Sheet



Issuing Date 03-May-2007

Revision Date 03-May-2007

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

BIC Mark-It Permanent Marker (All colors)

Recommended Use

Marking Instrument

Supplier Address BIC USA Inc. 500 BIC Drive Milford, CT 06460

Phone Number: 203 783-2000

Company Emergency Phone Number 203-783-2412

	2. HAZARDS IDENTIFIC	ATION	
Appearance Varies	Physical State Solid	Odor Alcohol	

OSHA Regulatory Status

Information listed in Sections 3,11, and 15 is consistent with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and has also been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR). This product is not a toxic or hazardous substance as defined by CFR 1500.3 of the Federal Hazardous Substances Act (FSHSA) and as such does not require acute or chronic hazard labeling. The ink in this writing instrument has been approved by board certified toxicologists under the WIMA (Writing Instrument Manufacturer's Association) certification program and/or the ACMI (Art & Creative Materials Institute) certification programs. Reviews were conducted using guidelines set forth by the CPSC (Consumer Product Safety Commission). Inks are certified as compliant under ASTM D-4236.

Potential Health Effects

Principle Routes of Exposure

Potential exposure to ink by inhalation, skin contact, eye contact.

Acute Toxicity

Eyes Ink may cause slight irritation.

Skin None known.

Inhalation No known hazard by inhalation.

Ingestion Ingestion of ink may cause stomach discomfort.

Chronic Effects None known

Aggravated Medical Conditions None known

Environmental Hazard None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

The following represents the ink component of an entire line of products. Each individual ink may not contain all the Ingredients listed below. In addition to the items listed below, the products also contain various dyes.

Chemical Name	CAS-No
Propylene glycol monomethyl ether	107-98-2
Diacetone alcohol	123-42-2
3-Methoxybutanol	2517-43-3
C.I. Solvent Violet 9	467-63-0
Ethyl alcohol	64-17-5
n-Propyl alcohol	71-23-8
2-butoxyethanol	111-76-2

4. FIRST AID MEASURES

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin Contact Wash skin with soap and water.

Inhalation Move victim to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water. If symptoms persist, call a

physician. Do not induce vomiting without medical advice.

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties The ink is a flammable/combustible material.

Flash Point 13°C / 55.4°F (Liquid Ink)

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam. Water spray, fog

or regular foam. Use water spray or fog; do not use straight

streams. Move containers from fire area if you can do it without risk.

Explosion Data

Sensitivity to mechanical impact None Sensitivity to static discharge None

Protective Equipment and Precautions for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

NFPA

Health Hazard 0

Flammability 1

Stability 0

Physical and Chemical

Hazards -

HMIS

Health Hazard 0

Flammability 1

Stability 0

Personal Precautions -

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Remove all sources of ignition.

Methods for Containment

Not applicable.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Handling

No special requirements for writing instruments.

Storage

No special requirements for writing instruments.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

The following exposure limits are provided for information only; exposure is not expected under

normal conditions of use or storage.

Chemical Name	ACGIH TLV	OSHA PEL
Propylene glycol monomethyl ether	TWA: 100 ppm STEL: 150 ppm	TWA: 100 ppm
Diacetone alcohol	TWA: 50 ppm	TWA: 240 mg/m ³
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm
n-Propyl alcohol	TWA: 200 ppm	TWA: 200 ppm

Engineering Measures

None under normal use conditions.

Personal Protective Equipment

Eye/Face Protection Skin and Body protection Respiratory Protection None under normal use conditions. None under normal use conditions. None under normal use conditions.

Hygiene Measures

None under normal use conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Note: The ink is absorbed in a filler material. There is no free

flowing ink in this marker.

Appearance

Varies

Odor

Alcohol

Odor Threshold

No information available

Physical State

Solid

pН

No information available

Flash Point

13°C / 55.4°F (Liquid Ink)

Autoignition Temperature

Not applicable

Decomposition temperature

No data available

Boiling Point/Range

78°C / 172.4°F (Liquid Ink)

Melting Point/Range

Flammability Limits in Air

No data available

No data available

Explosion Limits

No data available

Specific Gravity

0.82 - 0.88 @ 20 °C (Liquid Ink) Water Solubility

Soluble in water (Liquid Ink)

Solubility

No data available

Evaporation Rate

No data available

Vapor Pressure

No data available

Vapor Density

No data available

VOC Content

No data available

Viscosity

2-6 cp @20 °C (Liquid Ink)

Partition Coefficient (n-

octanol/water)

No data available

10. STABILITY AND REACTIVITY

Stability

Stable under recommended storage conditions

Conditions to Avoid

None known.

Incompatible Products

None known.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and

vapors, Carbon oxides.

Hazardous Polymerization

Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product does not present an acute toxicity hazard based on known or supplied information.

Chronic Toxicity

Product does not present an acute toxicity hazard based on known or supplied information.

Carcinogenicity

There are no carcinogens in this product at levels that are deemed hazardous as evaluated by

a board certified toxicologist.

Mutagenicity

There are no mutagens in this product at levels that are deemed hazardous as evaluated by a board certified toxicologist.

Reproductive Toxicity

This product does not contain any known or suspected reproductive hazards

Target Organ Effects None known

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION

Ecotoxicity None known

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA (Int'l Air) Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

15. REGULATORY INFORMATION

International Inventories

TSCA DSL Complies Complies

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

U.S. State Regulations

California Proposition 65

This product contains no Proposition 65 chemicals.

International Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Non-controlled

Legend

NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION

Issuing Date

3-May-2007

Revision Date

3-May-2007

Revision Note

No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS