

# Material Safety Data Sheet

# U.S. Department of Labor

May be used to comply with

OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

<b>IDENTITY</b> <i>(As Used on Label and List)</i> Dri G745R1. Permanentmarkers. All G745 markers.	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---


## Section I

Manufacturer's Name: Dri Mark Products Inc.	Emergency Telephone Number 1-516-484-6200
Address <i>(Number, Street, City, State, and ZIP Code)</i>  15 Harbor Park Dr.	Telephone Number for Information 1-516-484-6200
Pt. Washington, New York 11050	Date Prepared 1/22/09
	Signature of Preparer <i>(optional)</i>

## Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
N Propyl Alcohol	10-20 %			
Ethanol	40 -60 %			
Rosins	10 -15 %			
Spirit Dyes	20%			
Housing	Non Reactive Plastic			
Nibs & Reservoirs	Synthetic Fiber			

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.




**Section III - Physical/Chemical Characteristics**

Boiling Point	216 !	Specific Gravity (H <sub>2</sub> O = 1)	> .85
Vapor Pressure (mm Hg.)	N/A	Melting Point	
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1)	0.90
Solubility in Water: Soluble in water			
Appearance and Odor : Various colors/ alcoholic odor.			

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used): Unknown	Flammable Limits: Non-Flammable	LEL; N/A	UEL; N/A
Extinguishing Media: CO2, Water, Foam			
Special Fire Fighting Procedures: Standard fire fighting Equipment			
Unusual Fire and Explosion Hazards Non Flammable, None			


(Reproduce locally)

OSHA 174, Sept. 1985

**Section V - Reactivity Data**

Stability	Unstable		Conditions to Avoid: Avoid inhaling, swallowing,
	Stable:	X	
Incompatibility ( <i>Materials to Avoid</i> ) None			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid: None
	Will Not Occur	X	

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.



## Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?: N/A	Skin?: N/A	Ingestion? : N/A
Health Hazards ( <i>Acute and Chronic</i> ) none			
Carcinogenicity: No known effects	NTP?: N/A	IARC Monographs?: N/A	OSHA Regulated?: No
Signs and Symptoms of Exposure: None, Since the ink is non volatile and soaked in a porous reservoir inside a non reactive vessel, there is no likelihood of over exposure.			
Medical Conditions none			
Emergency and First Aid Procedures Remove to fresh air, induce vomiting, call physician			

## Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: As the product is soaked in a porous reservoir. There is no possibility of spillage.
Waste Disposal Method: Dispose of in accordance with local government requirements .
Precautions to Be taken in Handling and Storing: Store in a cool dry area. Keep container tightly closed
Other Precautions:: Avoid contact with eyes.

--

### Section VIII - Control Measures

Respiratory Protection ( <i>Specify Type</i> ) Avoid Inhalation, no additional protection required.		
Ventilation	Local Exhaust: No	Special: None
	Mechanical ( <i>General</i> ): No	Other: None
Protective Gloves: No	Eye Protection: Avoid contact with eyes	
Other Protective Clothing or Equipment: None		
Work/Hygienic Practices: Avoid contact with skin and eyes. Wash hands after use.		

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

