

1. Chemical Product and Company Identification

Material name	C8766 Series	
Use of the preparation	Inkjet printing	
Version #	06	
Revision date	19-Jun-2008	
CAS #	Mixture	
Manufacturer information	Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US	
Hewlett-Packard health effect	cts line	
(Toll-free within the US) (Direct)	1-800-457-4209 1-503-494-7199	
General information telephore		
HP Customer Care Line (Toll-free)	1-800-474-6836 1-800-474-6836	
(Direct)	1-208-323-2551	
Date prepared	Jun 19, 2008	
MSDS number	292092	
lazards Identification		
Emergency overview	Contact with skin and eyes may result in irritation.	
Acute health effects	Any potential hazards are presumed to be due to exposure to the components.	
Skin contact		
	1,5-pentanediol	
	Contact with skin may result in irritation.	
	<i>2-pyrrolidone</i> Contact with skin may result in irritation.	
	2-pyrrolidone	
	<i>2-pyrrolidone</i> Contact with skin may result in irritation. <i>Alkyldiol ethoxylate</i>	
	 2-pyrrolidone Contact with skin may result in irritation. Alkyldiol ethoxylate Contact with skin may result in severe irritation. Ethyl alkyldiol Contact with skin may result in mild irritation. Metal nitrate # 2 	
	 2-pyrrolidone Contact with skin may result in irritation. Alkyldiol ethoxylate Contact with skin may result in severe irritation. Ethyl alkyldiol Contact with skin may result in mild irritation. 	





Eye contact	
	1,5-pentanediol
	Contact with eyes may result in irritation.
	2-pyrrolidone Contact with eyes may result in irritation.
	<i>Alkyldiol ethoxylate</i> Contact can cause moderate to severe irritation and possible injury to the eyes.
	<i>Ethyl alkyldiol</i> Contact with eyes may result in mild irritation.
	<i>Metal nitrate # 2</i> Contact with eyes may result in irritation.
	Substituted naphthalenesulfonate salt # 11 Contact with eyes may result in irritation.
	Substituted naphthalenesulfonate salt # 13 Contact with eyes may result in irritation.
Inhalation	
	<i>2-pyrrolidone</i> Inhalation may result in respiratory irritation.
	<i>Metal nitrate # 2</i> Inhalation may result in respiratory irritation.
	Substituted naphthalenesulfonate salt # 13 Inhalation may result in respiratory irritation.
Ingestion	
	<i>2-pyrrolidone</i> Ingestion may result in nausea, vomiting and diarrhea.
	<i>Alkyldiol ethoxylate</i> Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.
	<i>Metal nitrate # 2</i> Contains nitrate salts, may cause methemoglobinemia.
ential health effects	
Routes of exposure	Potential routes of overexposure to this product are skin and eye contact
	Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.
	Complete toxicity data are not available for this specific formulation
Chronic health effects	None known.
Carcinogenicity	None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients Component/Substance

CAS Number

% By Weight





Magenta ink			
Water		7732-18-5	> 60
1,5-pentanediol		111-29-5	< 10
Ethyl alkyldiol		Proprietary	< 7.5
2-pyrrolidone		616-45-5	< 7.5
Substituted naphthalenesulfonate	salt # 11	Proprietary	< 5
Metal nitrate # 2		Proprietary	< 5
Alkyldiol ethoxylate		Proprietary	< 2.5
Yellow ink			
Water		7732-18-5	> 60
1,5-pentanediol		111-29-5	< 10
Ethyl alkyldiol		Proprietary	< 7.5
2-pyrrolidone		616-45-5	< 7.5
Substituted naphthalenesulfonate	salt # 13	Proprietary	< 7.5
Metal nitrate # 2		Proprietary	< 5
Alkyldiol ethoxylate		Proprietary	< 2.5
Composition comments			n. ified in 29 CFR 1910.1200 (Hazard
First Aid Measures			
First aid procedures			
Eye contact			unts of clean, warm water (low pressure) d. If irritation persists get medical attent
Skin contact	Wash affected are develops or persis		l water. Get medical attention if irritation
Inhalation	Remove to fresh a	air. If symptoms persist, get medi	cal attention.
Ingestion	If ingestion of a la	arge amount does occur, seek me	dical attention.
Fire Fighting Measures			
Flash point and method	> 200 °F (> 93.3	°C); Pensky-Martens Closed Cup	
Hazardous combustion products	Refer to section 1		
Flammable properties	None known.		
Extinguishing media Suitable extinguishing media	Dry chemical, CO2	2, water spray or regular foam.	
Unsuitable extinguishing media	None known.		
Unusual fire and explosion hazard	None known.		
Special firefighting	None established.		
	None established.		



Methods for cleaning up	Soak up with inert absorbent material.
Other information	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage Handling Avoid contact with skin, eyes and clothing. Storage Keep out of the reach of children. Keep aw

ge Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls/Personal Protection

Exposure guidelines	None established.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
General hygeine considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color	Cyan, magenta, yellow
Odor threshold	Not available
Physical state	Liquid.
рН	6.2 - 6.8
Melting point	Not available
Freezing point	Not available
Boiling point	Not determined
Flash point	> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability	Not available.
Flammability limits in air, upper, % by volume	Not available
Flammability limits in air, lower, % by volume	Not determined
Vapor pressure	Not determined
Vapor density	> 1 (air = 1.0)
Specific gravity	1 - 1.2
Relative density	Not available
Solubility in water	Soluble in water
Partition coefficient	Not available





Stable under recommended storage conditions.	
Incompatible with strong bases and oxidizing agents.	
Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.	
Will not occur.	
Cyan ink	
LC50/96h/Fathead minnows =< 400 mg/L	
Magenta ink	
LC50/96h/Fathead minnows =< 400 mg/L	
Yellow ink	
LC50/96h/Fathead minnows =< 400 mg/L	
Not available	
Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determin this service is available in your location, please visit http://www.hp.com/recycle.	
T) Requirements	
Not applicable	
••	
Not applicable	
None N/A	
None	
US TSCA 12(b): Does not contain listed chemicals.	



16.

MATERIAL SAFETY DATA SHEET

inveni		
Section 302 extremely hazardous substance	Νο	
Section 311 hazardous chemical	No	
International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
State regulations		
U.S Pennsylvania - RTK (Right to Metal nitrate # 2	Know) List Proprietary Present	
U.S New Jersey - Right to Know Metal nitrate # 2	Hazardous Substance List Proprietary sn 1143	
Other Information		
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0	
NFPA ratings	Health: 1 Flammability: 1 Instability: 0	
Issue date	Jun 19 2008 12:54AM	
Revision	6	
Replaces sheet dated	Jun 7 2008 9:15AM	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	







Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

