MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD



SECTION 1 CHEMICAL	PRODUCT / NAME					
Product/Chemical Name:	C4127X / 4000 MICR	2				
CTG Product No:	MCR27XM	•				
CAS Number:	Mixture					
Other Designations:	N/A					
General Use:	Laser Printer					
			NTO			
SECTION 2 COMPOSIT	CAS			OSHA	ACGIH	OTHER
Ingredient Name:	NUMBER	NUMBER	%	PEL	TLV	LIMITS
			Tone	r is regulated under OS	HA as narticulat	e not
			Tone	otherwise reg		CHOU
Styrene/Acrylate Copolymer	25153-46-2			otherwise reg	10mg/m ³ total	dust
Modified Polyester Resin	25155-46-2 N/A				10mg/m ³ total	
Polypropylene wax	9010-79-1				10mg/m ³ total	
Polypropylene wax Iron Oxide	1317-61-9				10mg/m ³ total	
					5mg/m ³ total d	
Charge Control Dye ⁻ umed Silica	84179-66-8				10mg/m ³ total	
-umed Silica	67762-90-7				TUTIIg/TTT_LULAT	uusi
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE	LE	ious properties a	ccording 29 CFR 1	910.1200.		
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU	ILE JS IDENTIFICATION		ccording 29 CFR 1	910.1200.		./HMIS
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes:	LE		ccording 29 CFR 1	910.1200.		/HMIS
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A	ILE JS IDENTIFICATION		ccording 29 CFR 1	910.1200.	HEALTH	1
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A	JS IDENTIFICATION		ccording 29 CFR 1	910.1200.	HEALTH FLAMMABIL	1
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio	JS IDENTIFICATION Inhalation on of respiratory tract.		ccording 29 CFR 1	910.1200.	HEALTH FLAMMABIL REACTIVITY	1 1 7 0
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic		ccording 29 CFR 1	910.1200.	HEALTH FLAMMABIL	1
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on.		ccording 29 CFR 1	910.1200.	HEALTH FLAMMABIL REACTIVITY	1 1 7 0
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio ngestion: None known	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on.		ccording 29 CFR 1	910.1200.	HEALTH FLAMMABIL REACTIVITY	1 1 7 0
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on.	cal abrasion.			HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 0
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritation Eye: Dust may can Skin: Slight irritation Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggram	SLE JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on.	cal abrasion.		t in the respiratory syste	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 0
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritation Eye: Dust may can Skin: Slight irritation Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrave may can	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion.	cal abrasion. posure: A	Accumulation of dus	t in the respiratory syste	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggram May of Chronic Effects: If these	SLE JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a	cal abrasion. posure: A	Accumulation of dus	t in the respiratory systence particles (dust), it is re	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrav may co Chronic Effects: If thes the du	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N	cal abrasion. posure: A a manner that con IUISANCE PART	Accumulation of dus	t in the respiratory systence particles (dust), it is re	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrav may content of the state of the	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(cal abrasion. posure: A a manner that con IUISANCE PART	Accumulation of dus	t in the respiratory systence particles (dust), it is re	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggray May ca Chronic Effects: If the the du Indus	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(MEASURES	cal abrasion. posure: A a manner that con IUISANCE PART TLV=10mg/m ³).	Accumulation of dus uld generate airborr FICULATE accordin	t in the respiratory syste ne particles (dust), it is n g to the American Confi	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 7 9 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggray Madical Conditions Aggray Chronic Effects: If thes the du Indus	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(MEASURES resh air. Treat any irritation	cal abrasion. posure: A a manner that con UISANCE PART TLV=10mg/m ³). on symptomatica	Accumulation of dus uld generate airborr FICULATE accordin	t in the respiratory syste ne particles (dust), it is n g to the American Confe if condition persists.	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggray Madical Conditions Aggray Chronic Effects: If thes the du Indus SECTION 4 FIRST AID I	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(MEASURES resh air. Treat any irritatic ontact immediately flush w	cal abrasion. posure: A a manner that con UISANCE PART TLV=10mg/m ³). on symptomatica vith plenty of low	Accumulation of dus uld generate airborr FICULATE accordin Ily. Call a physician pressure water for	t in the respiratory syste ne particles (dust), it is n g to the American Confe if condition persists.	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 7 9 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrav Madical Conditions Aggrav Chronic Effects: If thes the du Indus SECTION 4 FIRST AID Inhalation: Remove to fi Eye Contact: In case of co 15 minutes.	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(MEASURES resh air. Treat any irritation ontact immediately flush w Remove any contact lens	cal abrasion. posure: A a manner that con IUISANCE PART TLV=10mg/m ³). on symptomatica vith plenty of low ses to ensure tho	Accumulation of dus uld generate airborr FICULATE accordin Ily. Call a physician pressure water for	t in the respiratory syste ne particles (dust), it is n g to the American Confe if condition persists.	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 7 9 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrav may content of the state of the state of the	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(MEASURES resh air. Treat any irritation ontact immediately flush w Remove any contact lens	cal abrasion. posure: A a manner that con IUISANCE PART TLV=10mg/m ³). on symptomatica vith plenty of low ses to ensure tho	Accumulation of dus uld generate airborr FICULATE accordin Ily. Call a physician pressure water for	t in the respiratory syste ne particles (dust), it is n g to the American Confe if condition persists.	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrav Madical Conditions Aggrav Medical Conditions Aggrav Madical Seffects: If thes the du Indus SECTION 4 FIRST AID Inhalation: Remove to fit Eye Contact: In case of co 15 minutes. Skin Contact: Wash well w Ingestion: N/A	SLE JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(1 MEASURES resh air. Treat any irritatic ontact immediately flush w Remove any contact lens ith soap and running wate	cal abrasion. posure: A a manner that con UISANCE PART TLV=10mg/m ³). on symptomatica with plenty of low ses to ensure tho er.	Accumulation of dus uld generate airborr FICULATE accordin Ily. Call a physician pressure water for rough flushing.	t in the respiratory syste ne particles (dust), it is n g to the American Confe if condition persists. at least	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -
NDA = NO DATA AVAILAB NA = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritatio Eye: Dust may ca Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrav Madical Conditions Aggrav Chronic Effects: If thes the du Indus SECTION 4 FIRST AID Inhalation: Remove to fi Eye Contact: In case of co 15 minutes. Skin Contact: Wash well w Ingestion: N/A After first aid	JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(T MEASURES resh air. Treat any irritation ontact immediately flush w Remove any contact lens ith soap and running wate l, get appropriate in-plant	cal abrasion. posure: A a manner that cou IUISANCE PART TLV=10mg/m ³). on symptomatica with plenty of low ses to ensure tho er. paramedic or co	Accumulation of dus uld generate airborr FICULATE accordin Ily. Call a physician pressure water for rough flushing.	t in the respiratory syste ne particles (dust), it is n g to the American Confe if condition persists. at least	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 7 9 -
NDA = NO DATA AVAILAB N/A = NOT APPLICABLE SECTION 3 HAZARDOU Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Skin: Slight irritatio Ingestion: None known Carcinogenicity: N/A Medical Conditions Aggrav Madical Conditions Aggrav Madical Conditions Aggrav Chronic Effects: If thes the du Indus SECTION 4 FIRST AID Inhalation: Remove to fi Eye Contact: In case of co 15 minutes. Skin Contact: Wash well w Ingestion: N/A After first aid	SLE JS IDENTIFICATION Inhalation on of respiratory tract. use irritation by mechanic on. vated By Long-Term Ex cause congestion. se materials are used in a ust may be treated as a N trial Hygienists (ACGIH)(1 MEASURES resh air. Treat any irritatic ontact immediately flush w Remove any contact lens ith soap and running wate	cal abrasion. posure: A a manner that cou IUISANCE PART TLV=10mg/m ³). on symptomatica with plenty of low ses to ensure tho er. paramedic or co	Accumulation of dus uld generate airborr FICULATE accordin Ily. Call a physician pressure water for rough flushing.	t in the respiratory syste ne particles (dust), it is n g to the American Confe if condition persists. at least	HEALTH FLAMMABIL REACTIVITY PPE (Sec.8)	1 1 7 -

SECTION 5 FIRE FIGHTING MEASURES	;
----------------------------------	---

SECTION 5	FIRE FIGHT	TING MEASURES
Flash Point:	N/A	
Flash Point M	lethod: N/A	
Burning Rate	e: N/A	
Auto Ignition	Temperature	: Not Determined
LEL:	N/A	
UEL:	N/A	
Flammability	Classification	n: 1 Slight (HMIS, NFPA)
Extinguishin	g Media:	Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.
Unusual Fire	of Explosion	Hazards: May form flammable dust-air mixture.
Hazardous C	ombustion Pr	oducts: Carbon monoxide, carbon dioxide, nitrogen oxide and smoke.
		Under certain conditions some aliphatic aldehydes and carboxylic acids
		may form.
Fire-Fighting	Instructions:	Do not release runoff from fire controls methods to sewers or waterways.
Fire-Fighting	Equipment:	Because fire may produce toxic thermal decomposition products, wear a
		self-contained breathing apparatus (SCBA) with full facepiece operated
		in pressure-demand or positive-pressure mode.
SECTION 6	ACCIDENT	AL RELEASE MEASURES
Spill / Leak P		N/A
Small Spills:		container for disposal, suction up remaining material with a high efficiency
	vacuum clea	
Large Spills:	Scoop into a	container for disposal, suction up remaining material with a high efficiency
	vacuum clea	
Containment		lls, avoid suspending particles, collect for later disposal. Do not release
		or waterways.
Cleanup:	No special re	
	equirement:	
		AND STORAGE
Handling Pre		Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.
-	•	
Storage Requ		Store in a cool, dry location.
Regulatory R	equirement:	N/A
Regulatory R SECTION 8	equirement:	
Regulatory R	Requirement: EXPOSURE Controls:	N/A E CONTROLS / PERSONAL PROTECTION
Regulatory R SECTION 8	equirement: EXPOSURE Controls: Provide gene	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations
Regulatory R SECTION 8 Engineering	Exposure EXPOSURE Controls: Provide gene below OSHA	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant
Regulatory R SECTION 8 Engineering	Exposure EXPOSURE Controls: Provide gene below OSHA	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant
Regulatory R SECTION 8 Engineering Ventilation:	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use.
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use.
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or
Regulatory R SECTION 8 Engineering Ventilation: Administrativ	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations NPELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	Exposure EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations APELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	Ecquirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Protection:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	Ecquirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Protection:	N/A ECONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations a PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Protection:	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.</i> ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses.
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Protection:	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.</i> ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area.
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Protection:	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: othing/Equipr ns: Make d Equipment:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F Protective CI Safety Statio Contaminate	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Nothing/Equipr ns: Make d Equipment:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment.
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F Protective CI Safety Statio Contaminate	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Nothing/Equipr ns: Make d Equipment:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment. rink, or smoke in works areas. Practice good personal hygiene after using this
Regulatory R SECTION 8 Engineering Ventilation: Administrativ Respiratory F Protective CI Safety Statio Contaminate	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in ve Controls: Protection: Nothing/Equipr ns: Make d Equipment:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment. rink, or smoke in works areas. Practice good personal hygiene after using this

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State:		Water Solubility:	Insoluble
Appearance and Odor:	Black, free flowing powder, slight odor	Other Solubilities:	N/A
Odor Threshold:	N/A	Boiling Point:	N/A
Vapor Pressure:	N/A	Freezing/Melting Point:	N/A
Vapor Density (Air=1):	Heavier than air.	Viscosity:	N/A
Formula Weight:	N/A	Refractive Index:	N/A
Density:	N/A	Surface Tension:	N/A
Specific Gravity:	(H ₂ O)=1, at 4°C): 1.4	% Volatile:	N/A
pH:	N/A	Evaporation Rate:	N/A

SECTION 10 STABILITY AND REACTIVITY

 Stability:
 Stable

 Polymerization:
 will not occur

 Chemical Incompatibilities:
 None

 Conditions to Avoid: None
 None

 Hazardous Decomposition Products:
 None

SECTION 11 TOXICOLOGICAL INFORMATION

Eye	Effects:	N/A	Toxicity Data:*	
Skin	Effects:	N/A	Acute Inhalation Effects:	N/A
			Acute Oral Effects:	N/A
			Chronic Effects:	N/A
			Carcinogenicity:	N/A
			Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
			Teratogenicity:	N/A

*See NIOSH, RTECS for additional toxicity data.

SECTION 12 ECO	DLOGICAL IN	FORMATION		
Ecotoxicity:	N/A			
Environmental Fate	e: N/A			
Environmental Deg	radation:	N/A		
Soil Absorption / M	obility:	N/A		
SECTION 13 DIS	POSAL CON	SIDERATIONS		
Disposal: Was	te material may	be incinerated / or recycled for	its Iron Oxide unde	er conditions which meet
all fe	deral, state, an	d local environmental regulation	IS.	
Disposal Regulator	y Requiremen	ts: N/A		
Disposal Regulator Container Cleaning				
Container Cleaning	and Disposal	: N/A		
Container Cleaning	and Disposal	: N/A FORMATION	lv listed.	
Container Cleaning	and Disposal	: N/A FORMATION	ly listed.	
Container Cleaning	and Disposal	: N/A FORMATION	-	Quantity Limitations
Container Cleaning SECTION 14 TRA DOT Transportation Shipping Name:	and Disposal ANSPORT IN n Data (49 CFF	: N/A FORMATION R 172.101): Not specifical	-	
Container Cleaning SECTION 14 TRA DOT Transportation Shipping Name: Shipping Symbol:	and Disposal ANSPORT IN n Data (49 CFF N/A	: N/A FORMATION R 172.101): Not specifical Packaging Authorization	ons N/A	Quantity Limitations a) Passenger, Aircraft, or Railcar: N/A
Container Cleaning SECTION 14 TRA DOT Transportation Shipping Name: Shipping Symbol: Hazard Class:	ANSPORT IN n Data (49 CFF N/A N/A	: N/A FORMATION (172.101): Not specifical Packaging Authorization a) Exceptions:	ons N/A	a) Passenger, Aircraft, or
Container Cleaning SECTION 14 TRA DOT Transportation Shipping Name: Shipping Symbol: Hazard Class: ID No:	and Disposal ANSPORT IN n Data (49 CFF N/A N/A N/A	: N/A FORMATION (2 172.101): Not specifical Packaging Authorization a) Exceptions: b) Non-bulk Packaging:	ons N/A N/A	a) Passenger, Aircraft, or Railcar: N/A
Container Cleaning SECTION 14 TRA DOT Transportation	and Disposal ANSPORT IN n Data (49 CFF N/A N/A N/A N/A	: N/A FORMATION (2 172.101): Not specifical Packaging Authorization a) Exceptions: b) Non-bulk Packaging:	ons N/A N/A	a) Passenger, Aircraft, or

SECTION 15 REGULATORY INFORMATION

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33) RCRA Hazardous Waste Classification: (40 CFR 261): Not classified CERCLA Hazardous Substance (40 CFR 302.4) listed unlisted specific per RCRA, sec. 3001; CWA sec.311 (b)(4);

CWA, Sec. 307(a),CAA,Sec.112 CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes: N/A

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40CFR 355): Not listed, Threshold Planning Quantity (TPQ)

OSHA Regulations:

Air Containment (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

State Regulations: Check your states regulations that may specifically list copy machine toner.

SECTION 16 OTHER INFORMATION

Prepared By: N/A Revision Notes: N/A Additional Hazard Rating System: N/A

> THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESS OR IMPLIED, REGARDLESS IT'S CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL, AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

