Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be			U.S. Department of Labor Occupational Safety and Health Administration(No Mandatory Form)	on-		
consulted for specific requirements.			Form Approved OMB No. 1218-0072			
IDENTITY(As used on Label and list) - V Ball Ink (LB5/7, LX5/7) Black, Blue, Red, Green, Purple			Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
Section 1	·F··		IL			
Manufacturer's Name		Telephone Number				
PILOT CORPORATION			03-3538-3700			
Address(Number, Street, City State & Zip) 6-21, Kyobashi 2-Chome, Chuo-ku			Fax Number 03-3538-3909			
, <u> </u>			Date Prepared			
Tokyo, 104-8304 Japan			September 25, 2007			
			Signature of Preparer(Optional)			
Section II - Hazardous	0		,		Leand or an i	
Hazardous Componer	nts(Specific Chem	ical Identity;Co	ommon Name(s))	OSHA PEL	ACGIH Other Limits % TLV Recommended (optio	
NAME	CAS. NO.	TLV(PPM)	WT. (%)		COMPONENT	
Phenol	108-95-2)	5	0.3	<u>I</u> ı	nk (black,blue,red)	
Section III - Physical/C	hemical Char					
Boiling Point		acteristics	N.A		Specific Gravity N.	
Boiling Point	nemear char	acteristics	N.A		Gravity N. ./ (H20=1)	
· ·	Sicincai Chai	acteristics	N.A		Gravity (H20=1) Melting Point N.2	
Boiling Point	Sicilical Chai	acteristics			Gravity N. ./ (H20=1)	
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1)		acteristics	N.A		Gravity (H20=1) Melting Point N.2 Evaporation Rate (Butyl Acetate	
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water <i>N.A.</i> Appearance and Odor		acteristics	N.A		Gravity (H20=1) Melting Point N.2 Evaporation Rate (Butyl Acetate	
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No	smell		N.A		Gravity (H20=1) Melting Point N.2 Evaporation Rate (Butyl Acetate	
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No Section IV - Fire and E	<i>smell</i> Explosion Haza	ard Data	N.A		Gravity (H20=1) Melting Point N.2 Evaporation Rate (Butyl Acetate	
Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No Section IV - Fire and E Flash Point(Method Used) N	smell Explosion Haza	ard Data	N,A N,A		Gravity (H20=1) Melting Point Evaporation Rate (Butyl Acetate = 1)	
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No Section IV - Fire and E Flash Point(Method Used) N Extinguishing Media Water	smell Explosion Haza (A.	ard Data	N,A N,A		Gravity (H20=1) Melting Point Evaporation Rate (Butyl Acetate = 1)	
Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No Section IV - Fire and E Flash Point(Method Used) N	smell Explosion Haza (A.	ard Data	N,A N,A		Gravity (H20=1) Melting Point Evaporation Rate (Butyl Acetate = 1)	
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No Section IV - Fire and E Flash Point(Method Used) N Extinguishing Media Water	smell Explosion Haza (A.	ard Data	N,A N,A		Gravity (H20=1) Melting Point Evaporation Rate (Butyl Acetate = 1)	
Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No Section IV - Fire and E Flash Point(Method Used) N Extinguishing Media Water Special Fire Fighting Procedu	smell Explosion Haza (.A. c, dry chemical ures None	ard Data	N,A N,A		Gravity (H20=1) Melting Point Evaporation Rate (Butyl Acetate = 1)	
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water N.A. Appearance and Odor Writing Instrument, No Section IV - Fire and E Flash Point(Method Used) N Extinguishing Media Water	smell Explosion Haza (.A. c, dry chemical ures None	ard Data	N,A N,A		Gravity (H20=1) Melting Point Evaporation Rate (Butyl Acetate = 1)	

V-Ball

Section V- Reactivity Data Stability Conditions to Avoid Unstable Stable X None Incompatibility None (Materials to Avoid) Hazardous Decomposition None or Byproducts Hazardous Polymerization May Occur Condition to Avoid May Not Occur X None Section VI - Health Hazard Data Inhalation? Yes (Ink) Route(s) of Entry:N.A.Skin?**Yes (Ink**) Ingestion? N.A. Health Hazards(Acute and Chronic) **N.A.** IARC Monographs? Carcinogenicity: NTP?**None** OSHA Regulated?*None* Signs and Symptoms of Exposure N.D.Medical Conditions Generally Aggravated by Exposure N.D. Emergency and First Aid Procedures Eyes: Flush with plenty of water; Skin: Wash off in water. Section VII - Precautions for Safe Handling and Use Steps to Be Taken in Case Material is Released or Spilled *N.A.* Waste Disposal In accordance with national, state and local regulations. Precautions to Be Taken in Handling and Storing N.A. Other Precautions N.ASection VIII - Control Measures Respiratory Protection(Specify Type) N.A. Ventilation Local Exhaust N.A.Special N.A. Mechanical(General) N.A.Other N.A.Protective Gloves Eye Protection N.A.N.A.Other Protective Clothing or Equipment

Page 2 of 3

V-Ball Page 3 of 3

N.A.	
Work/Hygienic Practices	
<i>N.A.</i>	



