

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.			<b>U.S. Department of Labor</b> Occupational Safety and Health Administration(Non-Mandatory Form) Form Approved OMB No. 1218-0072				
<b>IDENTITY</b> (As used on Label and list) - <b>G2, G2 Pro &amp; G2 Mini Refill Ink: BG25/7R</b> ( <i>G25/7, G67, BDGL7, BDGG7, BEXG</i> ) <i>Black, Blue, Red, Green, Purple, Pink, Turquoise and Burgundy</i>			Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.				
<b>SECTION I</b>							
Manufacturer's Name <b>PILOT Corporation</b>			Telephone Number <b>81-3-3538-3700</b>				
Address(Number, Street, City State & Zip) <b>2-6-21, Kyobashi, Chuoku</b>			Fax Number <b>81-3-3538-3909</b>				
<b>Tokyo, 104-8304 Japan</b>			Date Prepared <b>August 21, 2007</b>				
			Prepared by <b>T. Fukasawa</b>				
<b>Section II - Hazardous Ingredients/Identity Information</b>							
Hazardous Components(Specific Chemical Identity;Common Name(s))				OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
NAME	CAS. NO.	TLV(PPM)	WT. (%)	COMPONENT			
<b>Ethylene Glycol</b>	<b>107-21-1</b>	<b>N.A.</b>	<b>20.0</b>	<b>INK</b>			
<b>Triethanolamine</b>	<b>102-71-6</b>		<b>5.0</b>				
<b>Section III - Physical/Chemical Characteristics</b>							
Boiling Point <b>N.D.</b>			<b>N.A.</b>	Specific Gravity (H2O=1)	<b>N.A.</b>		
Vapor Pressure(mm Hg) <b>N.D.</b>			<b>N.A.</b>	Melting Point	<b>N.A.</b>		
Vapor Density(Air=1) <b>N.D.</b>			<b>N.A.</b>	Evaporation Rate (Butyl Acetate = 1)	<b>N.A.</b>		
Solubility in Water <b>N.D.</b>							
Appearance and Odor <b>Writing instrument, No Smell</b>							
<b>Section IV - Fire and Explosion Hazard Data</b>							
Flash Point(Method Used) <b>N.D.</b>			Flammable Limits <b>N.D.</b>		LEL <b>N.D.</b>	UEL <b>N.D.</b>	
Extinguishing Media <b>In case of fire, use water spray, foam or dry chemical powder or carbon dioxide</b>							
Special Fire Fighting Procedures <b>N.A.</b>							
Autoignition Temp. <b>N.D.</b>							
Unusual Fire and Explosion Hazards <b>N.A.</b>							
<b>Section V- Storage Hazards</b>							
Stability		Unstable			Conditions to Avoid		
		Stable	<b>X</b>		<b>None</b>		

Incompatibility (Materials to Avoid)	<i>N.A.</i>		
Hazardous Decomposition or Byproducts	<i>N.A.</i>		
Hazardous Polymerization	May Occur		Condition to Avoid <i>None</i>
	May Not Occur	<b>X</b>	

### Section VI - Health Hazard Data

Route(s) of Entry: *None* Inhalation? *N.A.* Skin? *Yes (Ink)* Ingestion? *Yes (Ink)*

Health Hazards(Acute and Chronic) *N.D.*

Signs and Symptoms of Exposure *N.D.*

Medical Conditions

Generally Aggravated by Exposure *N.D.*

Emergency and First Aid Procedures ; Inhalation :*N.A.* Eyes: *Flush with plenty of water, consult medical* Skin: *Wash with soap & water* Ingestion: *Drink milk and consult medical.*

### Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

*Flush with water, soak up with absorbent materials*

Waste Disposal

*In accordance with National, State and Local regulations.*

Precautions to Be Taken in Handling and Storing

*None*

Other Precautions

*None*

### Section VIII - Control Measures

Respiratory Protection(Specify Type) *Not Required*

Ventilation	Local Exhaust <i>Not Required</i>	Special <i>Not Required</i>
	Mechanical(General) <i>Not Required</i>	Other <i>Not Required</i>

Protective Gloves

*Rubber or polyethylene gloves*

Eye Protection

*Goggles.*

Other Protective Clothing or Equipment

*Not Required*

Work/Hygienic Practices

*After handling, wash hands well with soap and water*

 [Return to Data Sheet Index](#)

[RETURN TO DATA SHEET INDEX](#)

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

