

# **Material Safety Data Sheet**

Print Date: 05/01/2008

Revision Number: 0

**1. PRODUCT AND COMPANY IDENTIFICATION** 

Product name:	Airwick
Validation Date:	05/01/2008
Product Description:	Automatic Concentrated Aerosol (0.8oz) Air Freshener, with boost function.
Item Number:	Various Fragrances:- Lavender - 0068807 Fresh Waters/Crisp Breeze - 0078014 Sparkling Citrus - 0078015 Harvest Spice - 0108504 Vanilla Passion - 0108502 Fruit Medley 0070697 AquaEssences Fresh Breeze - 0146643
Formula Number :	Various Fragrances:- Lavender - 1215-054 Fresh Waters/Crisp Breeze - 1215-055 Sparkling Citrus - 1215-056 Harvest Spice - 1276-087 Harvest Spice - 1300-046 Vanilla Passion - 1276-086 AquaEssences Fresh Breeze - 1389-043
UPC Number:	Starter Kits         Fresh Breeze - 62338-79902-5         Lavender Fields - 62338-79903-2         Harvest Spice - 62338-80461-3         Vanilla Passion - 62338-80462-0         Fruit Medley - 62338-79955-1         AquaEssences Fresh Breeze - 62338-79848         Refills:         Fresh Breeze - 62338-79904-9         Lavender Fields - 62338-79904-9         Lavender Fields - 62338-79907-0         Citrus - 62338-79906-3         Harvest Spice - 62338-80580-1         Vanilla Passion - 62338-80581-8         Fruit Medley - 62338-79908-7         AquaEssences Fresh Breeze - 62338-79850
Chemical characterisation:	Aerosol Air Freshener
Manufacturer:	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 Canada

Emergency telephone number:	800-888-0192 (Canada) 1-800-228-4722 (US)
Transportation Emergencies:	1-800-424-9300 (U.S. & Canada) CHEMTREC Outside the U.S. and Canada (North America) Chemtrec call:703-527-3887
Distributor/Importer	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 Canada

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Exposure limits				
Components	CAS-No	Weight %	ACGIH:	OSHA:
Proprietory Fragrance OII	00-00-0	5 - 10%		None
Propellant 70	106-97-8	90 - 100%		None

## **3. HAZARDS IDENTIFICATION**

	Emergency Overview
	DANGER:FLAMMABLE
	EYE IRRITANT
	SKIN IRRITANT
CAUTION! Conter	<ul> <li>its under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120F as container may burst.</li> <li>May cause an allergic reaction in some individuals.</li> </ul>
	<ul> <li>Keep away from excessive heat, sparks and open flame.</li> </ul>
<ul> <li>In the event of contact</li> </ul>	with the eyes, remove contact lenses and rinse immediatley with lukewarm water for 15 minutes. If irritation develops or persists seek medical advice.
Physico-chemical properties:	Flammable.
	Contains propellant and fragrance.
	KEEP OUT OF REACH OF CHILDREN
	4. FIRST AID MEASURES
Inhalation:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
Skin contact:	After contact with skin, wash immediately with plenty of water. If skin irritation persists, call a physician
Ingestion:	Rinse mouth with water and drink afterwards plenty of water. DO NOT INDUCE

ion: Rinse mouth with water and drink afterwards plenty of water. DO NOT INDUCE VOMITING!

Eye contact:Rinse immediately with plenty of water, also under the eyelids, for at least 15<br/>minutes. If symptoms develop or persist seek medical advice.

**Notes to physician:** Contains: Propellants, petroleum solvent and fragrance oils.

Aggravated Medical Conditions: NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse. For information visit www.inhalant.org.

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

# **5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media:		Foam. Dry powder.		
Extinguishing media which must not be used for safety reasons:		Water. Water spray.		
Specific hazards:		Extremely flammable. Exposure to temperatures above 49°C (120°F) may cause bursting. All aerosols are pressurised products and will eventually burst if exposed to very high temperatures, or if involved in a fire. They will then release the propellant gas which is extremely flammable (Butane).		
Unusual hazards:		Move containers away from fin Use water spray to cool fire ex shielding for personnel expose bursting containers.	•	
Special pro	otective equipment for	firefighters:	Wear self contained breathing apparatus for fire fighting if necessary.	
Specific m	ethods:		No information available.	
Autoignitic	on temperature:		No information available.	
Flammabil - Iow - upp			No information available No information available	
	NFPA:	Health: 2	Flammability: 3	Instability: 0
HMIS:	Health: 2	Flammability: 3	Physical Hazard: 0	
<u>Key:</u> See also se NFPA AER	OSOL LEVEL:	ACCIDENTAL R	Flammability Rating 3, per NF	PA 30B
Personal p	recautions:	Ensure adequate ventil	ation.	
Methods fo	or cleaning up:	Eliminate all sources of ignition and ventilate the area with equipment rated for use in flammable environments.		
		7. HANDLING	AND STORAGE	
Handling:		Use only in area provided with appropriate exhaust ventilation.Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Do not pierce or burn after use. Keep away from all sources of ignition. Fires involving aerosols with flammable contents are severe and can spread quickly. Warehouses or stores containing aerosols should therefore be separated from other areas by a fire resistant construction. Stores should be well ventilated. The natural ventilation in a large open warehouse building will normally be suitable.		
Storage:		Store in original container in areas inaccessable to small children and pets. Store in cool place.		
Product code D0050381			ct name:	Page 3 of 7

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

-		
-		
Engineering measures to reduce	exposure:	Ensure adequate ventilation.
Personal protective equipment		
Respiratory protection:	Self-contained breathing	g apparatus (SCBA).
Hand protection:	None required under no impermeable gloves.	rmal use conditions. Emergency responders should wear
Skin and body protection:	None required under no	rmal use conditions.
Eye protection:	Avoid contact with eyes protection.	Emergency responders should wear full eye and face
Hygiene measures:		water after use is recommended as good hygienic practice to tation from hand contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:
Appearance:
Colour:
Odour:
pH:
Autoignition temperature:
Specific Gravity:
Vapour pressure:
Solubility:
VOC Content(%):
Explosion limits:
- upper:
- lower:

Liquid Aerosol. No information available. No information available. not applicable. No information available. 0.911 @ 20C not determined. No information available. No information available.

no data available. no data available.

### **10. STABILITY AND REACTIVITY**

Stability:	Stable under recommended storage conditions.
Polymerization:	Hazardous polymerisation does not occur.
Hazardous decomposition products:	Oxides of carbon and unknown organic compounds.
Materials to avoid:	Do not mix with other household chemicals
Conditions to avoid:	Keep away from open flames, hot surfaces and sources of ignition. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not pierce or burn after use. Do not spray on a naked flame, onto or near a fire, or any incandescent material such as an electric fire.

#### Acute toxicity

**Component Information** 

	LC50/inhalation/4h/rat = LD50/dermal/rabbit = LD50/oral/rat =	No information available. No information available. No information available.
Loca	al effects	
	Skin irritation:	May cause skin irritation in susceptible persons
	Eye irritation:	None expected during normal use. May cause eye irritation upon direct contact with eyes
	Inhalation	NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal.
	Ingestion	Health injuries are not known or expected under normal use
	Sensitisation	Not expected to be a skin sensitiser
	Chronic toxicity:	No information available
Specific effects		
	Carcinogenic effects:	Not listed as carcinogenic by OSHA, NTP or IARC
	Mutagenic effects:	No information available
	Reproductive toxicity:	No information available
	Target Organ Effects:	No information available

Information is based on data on the components and the toxicology of similar products

**12. ECOLOGICAL INFORMATION** 

#### **Product Information**

Mobility:	not applicable.
Bioaccumulative potential:	not applicable.
Ecotoxicity effects:	no data available.
Aquatic toxicity:	No information available.
Component Information	
Proprietory Fragrance Oll Ecotoxicity:	No test data on the actual product
Propellant 70 Ecotoxicity:	No test data on the actual product
Other information	

Product name: Airwick ® Mini Freshmatic :om

Ozone depletion potential; ODP; (R-11 = 1) = Global warming potential (GWP) = Additional ecological information:

No information available. No information available. Information given is based on data on the components and the ecotoxicology of similar products.

## **13. DISPOSAL CONSIDERATIONS**

Waste from residues / unused products:

Dispose of in accordance with local regulations.

#### **Contaminated packaging:**

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

UN/ID No:	UN 1950, Aerosols, Flammable, Class 2.1
DOT:	ore 1000, Acrosolo, Flammable, 01835 2.1
Classification:	UN 1950, Aerosols, Class 2.1, Limited Quantity
Proper shipping name: U.S. DOT - Hazard Class: Subsidiary Risk: DOT Shipping Description: Packing group: DOT RQ (Ibs): ERG No:	Re-classed as Consumer Commodity ORM-D Consumer Commodity Not applicable Not applicable Not applicable Not applicable Not applicable 126/171
TDG (Canada):	
Classification:	Consumer Commodity/Limited Quantity/LTD.QTY
Proper Shipping Name: Status:	Consumer Commodity/Limited Quantity/LTD.QTY Not applicable
Packing group:	Not applicable
IMDG/IMO	
Classification:	UN 1950, Aerosols, Class 2.1, Limited Quantity
Proper Shipping Name:	Aerosols
Class: Subsidiary Bisky	2 Not appliable
Subsidiary Risk: Packing group:	Not applicable Not applicable
IMDG page:	See IMDG Code
Marine pollutant:	Not applicable.
EmS:	F-D, S-U
MFAG:	Not applicable.
Maximum quantity:	See DG List
ADR/RID Classification:	Net applicable
Proper Shipping Name:	Not applicable Not applicable
Class:	Not applicable.
Subsidiary Risk:	Not applicable
Packing group:	Not applicable
ADR/RID-Labels:	Not applicable
HIN:	Not applicable
<b>CEFIC Tremcard No:</b>	Not applicable
ICAO/IATA:	

Product name: Airwick ® Mini Freshmatic Page 6 of 7

#### **Classification:**

Proper Shipping Name: Class: Subsidiary Risk: Packing group: Maximum quantity: UN 1950, Aerosols, Flammable, Class 2.1, Limited Quantity or Consumer Commodity, ID 8000 if acceptable to airline. Aerosols, Flammable/Consumer Commodity 2.1 (9 if shipped as a Consumer Commodity) Not applicable Not applicable See DG List

## **15. REGULATORY INFORMATION**

#### International Inventories

Components	PICCS:	TSCA:	DSL:	NDSL:	ENCS:	CHINA:	AICS:	EINECS-No
Proprietory Fragrance OII			Category of					
- <b>1 1</b>			Danger:					
Propellant 70		Present	Present					
			Present					

#### U.S. Regulations:

#### **Canada**

WHMIS hazard class:

not determined.

#### **16. OTHER INFORMATION**

National Fire Protection Association (U.S.A.):	HMIS (U.S.A.):	Health Hazard Fire Hazard Reactivity Personal Protection	2 3 0 B			
Flammability rating:	NFPA Aerosol level 3, per NFPA 30B					
Reason for revision:	Change to NFPA flammability rating					
Additional advice:	The product should only be used as directed on the label and for the purposes intended.					
Prepared By:	Reckitt Benckiser Regulatory, Safety & Environmenta	I Services Homecare				

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Product name: Airwick ® Mini Freshmatic

com

Page 7 of 7