

Read/Right *Material Safety Data Sheet*

Read/Right Products
33 Murray Hill Drive
Nanuet, N.Y. 10954

August, 2001
1231

INFORMATION

PRODUCT (TRADE) NAME: Static Stopper
PRODUCT IDENTIFICATION NUMBER(S): 1231
CHEMICAL NAME AND SYNONYMS: Hydroalcoholic Solution
CHEMICAL FORMULA: Mixture
EMERGENCY TELEPHONE NUMBERS: Read/Right: 1-800-327-1237
CHEMTREC (Transportation): (800) 424-9300

SECTION 2: COMPOSITION AND INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS#</u>	<u>%</u>	<u>OSHA PEL(ppm)</u>	<u>ACGIH TLV(ppm)</u>
Deionized Water	7732-18-5	93.75	NA	NA
N-Propoxyxypropanol	1569-01-3	5.00	NA	1,000
N,N,N-Trimethyl-1-Dodeconaminium	112-00-5	1.25	NA	NA

SECTION 3: HAZARDS IDENTIFICATION

Vapor may be irritating, causing discomfort or stinging sensations in the nose, throat, and chest, with nasal discharge, coughing, and difficulty with breathing. Effects may include stinging or burning sensation in the mouth and throat, and possibly swelling and irritation of the mouth, throat, esophagus and stomach. Aspiration into the lungs may occur during ingestion or vomiting, resulting in lung damage. Possible liver and kidney damage. Eye and Skin irritant.

Carcinogenicity (OSHA/NTP/IARC/ACGIH): Not Listed
Medical Conditions Aggravated by Exposure: Not Listed

SECTION 4: FIRST AID INFORMATION

EYE CONTACT: Flush with water for 15 minutes, including under eyelids. Get Medical help.
SKIN CONTACT: Flush with water.
INHALATION: Remove to fresh air. Keep at rest. Restore and/or support breathing as needed.
Get prompt Medical attention.
INGESTION: Get prompt medical help. Keep victim at rest. Do not induce vomiting.

SECTION 5: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (TCC): NA
FLAMMABLE LIMITS (% BY VOLUME): LEL: NA UEL: NA
AUTOIGNITION TEMPERATURE °F (°C): NA

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical or alcohol foam. Water may be used to cool containers exposed to the fire.

UNUSUAL FIRE OR EXPLOSION HAZARDS: Liquid may release vapors which may ignite at or above flash point.

NA = Not Available

NFPA RATING: HEALTH (1)
FLAMMABILITY (0)

REACTIVITY (0)

SECTION 6: ACCIDENTAL RELEASE MEASURES

Ventilate area. Cleanup personnel need protection against liquid contact and vapor inhalation.

SECTION 7: HANDLING AND STORAGE

Store in a clean, cool, ventilated area.

SECTION 8: EXPOSURE CONTROL - PERSONAL PROTECTION

Provide ventilation. Avoid inhalation of vapors, contact with eyes and repeated or prolonged contact with skin. Do not take internally.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (°F(°C)):	225	% VOLATILE BY VOLUME @ 25°C:	>99.0
VAPOR PRESSURE (mmHg @ 25°C):	24	EVAPORATION RATE(BUTYL ACETATE=1):	>1.0
VAPOR DENSITY (AIR=1):	>1	FORM:	Liquid
% SOLUBLE IN WATER @ 25°C:	100	ODOR:	Minimal
SPECIFIC GRAVITY (G/CC@ 25°C):	0.93	APPEARANCE:	Clear

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable
HAZARDOUS POLYMERIZATION:	Will not occur
INCOMPATIBILITIES/CONDITIONS TO AVOID:	Caustics, strong oxidizing agents
HAZARDOUS DECOMPOSITION PRODUCTS:	None cited

SECTION 11: TOXICOLOGICAL INFORMATION

Not Available

SECTION 12: ECOLOGICAL INFORMATION

Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

Follow Federal, State and Local regulations.

SECTION 14: TRANSPORT INFORMATION

DOT CLASSIFICATION: Not Regulated

Proper Shipping Name:
Hazard Class:
UN Number:
Packing Group:
Hazard Labeling:

IATA/ICAO CLASSIFICATION: Not Regulated

Proper Shipping Name:
Hazard Class:
UN Number:
Packing Group:
Hazard Labeling:

IMDG CLASSIFICATION: Not Regulated

Proper Shipping Name:
Hazard Class:
IMDG Page#:
Packing Group:
Flash Point (°C):
Marine Pollutant:

SECTION 15: REGULATORY INFORMATION

SARA TITLE III REPORTING:

Toxic Chemical(Section 313):	Not listed
Extremely Hazardous Substance (Section 302, 304, 311,312):	Not Listed
Hazard Class:	Chronic Health
	Acute Health
	Fire Hazard
	Pressure Hazard
	Reactivity Hazard

TSCA INVENTORY STATUS:

All components are
listed in the TSCA
inventory

SECTION 16: OTHER INFORMATION

The information provided herein is compiled from internal reports and data from professional publication. It is furnished without warranty of any kind, expressed or implied. It is intended solely to assist in evaluating suitability and proper use of the material and in implementing safety precautions and procedures. Employers should use this information as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials. All information used must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.