

## 1- Product and Company Information

<b>Product name</b>	Read Right PathKleen	<b>Effective date</b>	05/16/2007
<b>Product number</b>	RR1237		
<b>Company identification</b>	Advantus Corp. 12276 San Jose Blvd. Building 618 Jacksonville, FL 32223 United States of America		
<b>Telephone</b>	(904) 482-0091		
<b>Preparer</b>	Health, Safety, and Environmental Department		
<b>Product description</b>	Acrylic emulsion for coatings.		

## 2 – Composition/Information on Ingredients

Chemical Name	CAS Number	Weight % Less Than
Water	0007732-18-5	51
Polymer/solids	Proprietary	48
Formaldehyde	0000050-00-0	0.020

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

**Notes:** No Additional Information

## 3 – Hazards Identification

### Emergency overview

See below for product details

### Acute health effects

Vapors or direct eye contact may cause irritation. Repeated or prolonged skin contact may cause irritation. Ingestion may cause irritation. Overexposure to aerosol, vapor or mist may cause eye and respiratory tract irritation, dizziness, headache, nausea and flu-like symptoms.

### Chronic health effects

No Information

### Signs/Symptoms of exposure

Irritation

### Routes of exposure/entry

Skin Contact, Inhalation, Ingestion, Eye Contact

### Target organs

Eyes, Respiratory Tract, Skin

## 3 – Hazards Identification (cont'd)

### Medical conditions aggravated by exposure

Pre-existing skin problems may be aggravated by prolonged or repeated contact. Persons with sensitive airways (e.g., asthmatics) may react to vapors.

### Carcinogenic status

No Information

### Reproductive effects

None Expected

## 4 - First Aid Measures

If irritation or other symptoms (as noted above) occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

### Eye contact

Immediately flush eyes with plenty of clean water for an extended time, not less than five (5) minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion.

### Skin contact

Wash the affected area thoroughly with plenty of water and soap.

### Inhalation

If affected, remove to fresh air. If not breathing, give artificial respiration.

### Ingestion

Get medical attention immediately.

### Notes to physician

No Additional Information

## 5 – Fire Fighting Measures

**NFPA flammability class:** N/A

**Flash point:** Not Applicable

**Explosive Range:** LEL Not Applicable  
UEL Not Applicable

**Notes:** No Additional Information

**Fire and explosive properties**

This product is not known to present any fire hazard.

## 5 – Fire Fighting Measures (cont'd)

### Extinguishing media

Being an aqueous system, product is not a fire hazard, as supplied. After water is evaporated, dry solids could burn. Water spray, ABC dry chemical and protein type air foams are effective. Carbon dioxide may be ineffective on larger fires due to a lack of cooling capacity, which may result in reignition.

### Fire fighting instructions

Wear self-contained breathing apparatus (SCBA) equipped with a full face piece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations.

### Unusual fire/explosion hazards

None known for the product as delivered (water solution). Irritating and toxic substances will be emitted upon combustion, burning or decomposition of the dry solids.

## 6 – Accidental Release Measures

### Containment techniques

Contain spill. If spilled in an enclosed area, ventilate.

### Clean-up techniques

Wear proper personal protective clothing and equipment. Do not flush liquid into public sewer, water systems or surface waters. Soak up large spill residue and small spills with an inert absorbent. Recover as much as possible for reuse. Place into labeled, closed container; store in safe location to await disposal. Wash the spill area with soap and water. Change contaminated clothing and launder before reuse.

### Evacuation instructions

Not Applicable

## 7 – Handling and Storage

### Handling

Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingestion this product. Provide eyewash fountains and safety showers in the work area.

### Storage

Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use. Do not reuse empty containers without commercial cleaning or reconditioning.

## 8 – Exposure Controls / Personal Protection

<u>Chemical Name</u>	ACGIH- ----- TWA	ACGIH - ----- STEL	OSHA - ----- TWA	OSHA - ----- STEL
Water	N/E	N/E	N/E	N/E
Polymer/Solids	N/E	N/E	N/E	N/E
Formaldehyde	N/E	0.30 ppm ©	0.75 ppm	2.00 ppm

**Notes:** FORMALDEHYDE: Workplace exposure to formaldehyde is regulated by OSHA 1910.1048 (CFR Title 29). This regulation requires labeling if handling, processing, and use of releasing enough formaldehyde to result in airborne concentrations above 0.5 ppm. Laboratory experiments simulating mixing or compounding of emulsions show that the airborne concentration of formaldehyde is not likely to exceed 0.1 ppm (0.1 mg/kg) when residual formaldehyde is <0.009% (<90 ppm or <90 mg/kg) in the wet emulsion. When the concentration in the wet emulsion exceeds ~800 ppm (~800 mg/kg), the airborne concentration of formaldehyde could exceed 0.5 ppm (0.5 mg/kg). Purchasers of this product should not solely rely on Noveon data, but should do sufficient in-plant monitoring of formaldehyde levels to assure compliance of their operations.

### Engineering controls

Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist and vapor away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the MSDS. Ventilation guidelines/techniques may be found in publications such as Industrial Ventilation: American Conference of Governmental Industrial Hygienists, 1330 Kemper Meadow Drive, Cincinnati, OH, 45240-1634, USA.

### Eye/face protection

Wear eye protection.

### Skin protection

Wear protective gloves.

### Respiratory protection

Wear an approved respirator (e.g., an organic vapor respirator, a full face air purifying respirator for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume or vapor exceed the exposure limit(s) of any chemical substance listed in this MSDS. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR).

### General protection

No Additional Information

## 9 – Physical and Chemical Properties

<b>Form</b>	Liquid	<b>pH</b>	5.2 -6.0
<b>Appearance</b>	Milky	<b>% Volatile by weight</b>	52.0 %
<b>Odor</b>	Mild acrylic	<b>Specific gravity</b>	1.0 -1.1
<b>Solubility in water</b>	Dilutable	<b>VOC</b>	Not Available
<b>Evaporation rate</b>	Slower than n-butyl acetate	<b>Boiling point °F</b>	212°F
<b>Vapor pressure</b>	~ 18 mmHg @ 68.F (20.C)	<b>Boiling point °C</b>	(100°C)

**Melting point** Not applicable  
**Vapor density** Lighter than air  
**Partition coefficient** Not applicable

**Notes:** No Additional Information

## 10 – Stability and Reactivity

### Stability

This product is stable.

### Hazardous polymerization

Hazardous polymerization will not occur.

### Notes:

No Additional Information

### Conditions to avoid

Do not freeze.

### Incompatibility with other materials

No specific incompatibilities. Materials which are not compatible with water will not be compatible with this product. Substances that are not compatible with ordinary organic compounds (such as strong oxidizers) will not be compatible with this product.

### Hazardous decomposition products

After water is evaporated, decomposition or combustion of the dry solids may generate irritating vapors, CO, CO<sub>2</sub>, ammonia, and hydrocarbons.

### Additional reactivity / stability information

None

### Thermal processing emissions

Not Applicable

## 11-Toxicological Information

Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure.

<u>Chemical Name</u>	<u>LC50 Inhalation</u>	<u>Species</u>	<u>LD50 Oral</u>	<u>Species</u>	<u>LD50 Skin</u>	<u>Species</u>
Water	N/E		N/E		N/E	
Polymer/solids	N/E		N/E		N/E	
Formaldehyde	250-478 ppm (4 hr)	Rabbit/ adult	100 mg/kg	Rat/ adult	270 mg/kg	Rabbit/ adult

<u>Chemical Name</u>	<u>LC50 Inhalation</u>	<u>Species</u>	<u>LD50 Oral</u>	<u>Species</u>	<u>LD50 Skin</u>	<u>Species</u>
Water	N/E		N/E		N/E	
Polymer/solids	N/E		N/E		N/E	
Formaldehyde	N/E		N/E		N/E	

No toxicity studies have been conducted in this product.

As with all chemical for which test data are limited or do not exist, caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure.

## 12-Ecological Information

No ecological testing has been conducted on this product.

**Notes:** No Additional Information

## 13 - Disposal Information

Incinerate waste product when in liquid form (i.e., as supplied) in a properly permitted (approved) incineration facility in accordance with federal, state and local regulations. Liquids cannot be disposed of in a landfill. Liquid product generally requires some pre-disposal treatment to separate the liquid from the polymeric portion. Typically, this is done by coagulating the polymer and removing the liquid. The liquid portion may be discharged to an industrial or public treatment works with approval of appropriate permitting authorities. Solid products can be sent to an approved landfill, or preferably incinerated.

### US RQ

<u>Chemical Name</u>	<u>-- lbs --</u>	<u>-- kg --</u>
Formaldehyde	100.00	45.45

## 14 -Transportation Information

**UN/NA Number:** N/A      **Hazard Class:** N/A      **IMDG Class:** N/A

**Packing Group:** N/A      **ICAO/IATA Class:** N/A      **TDG Class:** N/A

**Name of Material:** Not regulated

**Notes:** No Additional Information

## 15 - Regulatory Information

This MSDS has been prepared in accordance with the hazard criteria of the OSHA Hazard Communication Standard, 29 CFR 1910.1200

### U.S. Toxic Substances Control Act:

All components of this product are either listed on the U.S. Toxic Substances Control Act (TSCA) inventory of chemicals or are otherwise compliant with TSCA regulations.

### U.S. CERCLA – SARA:

**SARA Title III Section 312 Hazard Category (40 CFR 311/312):**

Not Hazardous

## 15 - Regulatory Information (cont'd)

**SARA Section 313:** This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372:

None Known

### California Proposition 65:

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

<u>Chemical Name</u>	<u>CAS #</u>
Formaldehyde	0000050-00-0

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

The chemical identity of some or all components present is confidential business information (trade secret) and is being withheld as permitted by 29CFR1910.1200 (i).

### Canadian Domestic Substances List (DSL):

All components in this product are on the Canadian Domestic Substances List (DSL) or are exempt from listing.

### Canadian Ingredient Disclosure List:

The following components are on the Canadian Ingredient Disclosure List (WHMIS):

None Listed

### Canadian WHMIS Class:

Not controlled

**Notes:** No Additional Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

## 16 – Other Information

### HMIS Rating

Health: 1

Flammability: 0

Reactivity: 0

Personal Protection: X

### NFPA Rating

Health: 0

Flammability: 0

Reactivity: 0

Key: 0=Insignificant; 1=Slight; 2=Moderate; 3=High; 4=Extreme

Hazardous Materials Identification System (HMIS), National Paint and Coating Assn. rating applies to product "as packaged" (i.e., ambient temperature). Ratings are based upon HMIS® Rating Manual 1984. Values do not reflect HMIS® III.

National Fire Protection Association (NFPA) rating identifies the severity of hazards of material during a fire

emergency (i.e., "on fire").

## Legend:

<b>ACGIH:</b>	American Conference of Governmental Industrial Hygienists
<b>A1:</b>	Confirmed human carcinogen
<b>A2:</b>	Suspected human carcinogen
<b>A3:</b>	Animal carcinogen
<b>CAS No:</b>	Chemical Abstract Service Registry Number
<b>IARC:</b>	International Agency for Research on Cancer
<b>Group 1:</b>	Carcinogenic to humans
<b>Group 2A:</b>	Probably carcinogenic to humans
<b>Group 2B:</b>	Possibly carcinogenic to humans
<b>Group 3:</b>	Unclassified as a carcinogen to humans
<b>MSHA:</b>	Mine Safety and Health Administration
<b>NIOSH:</b>	National Institute for Occupational Safety and Health
<b>NTP:</b>	National Toxicology Program
<b>N/A:</b>	Not Applicable
<b>N/E:</b>	None Established
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL:</b>	Permissible Exposure Limit
<b>PNOC:</b>	Particulates Not Otherwise Classified
<b>RTK:</b>	Right To Know
<b>STEL:</b>	Short Term Exposure Limit (15 minute Time Weighted Average)
<b>TLV:</b>	Threshold Limit Value
<b>C:</b>	Ceiling Limit
<b>S:</b>	Skin notation refers to the potential significant contribution to the overall exposure by the cutaneous route including mucous membranes and the eyes and by direct skin contact with the substance
<b>WHMIS:</b>	Canadian Workplace Hazardous Materials Information System

## Users responsibility/disclaimer of liability

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to develop appropriate work practice guidelines and employee instructional programs for your operation.