

Material Safety Data Sheet (ANSI form)

Section1 : Chemical Product and Company Identification

| Product Name General Use MSDS Number Company Name Department Address Telephone | PRINT CARTRIDGE YELLOW SP C310HA The Image Formation of Printing Machine or Copier 406478 Ricoh Americas Corporation 5 Dedrick Place, West Caldwell, NJ 07006 USA 1-973-882-2000 or 1-973-882-5218 (For product information) |
|--|---|
| • | |
| Number | 1-800-336-6737 (For emergencies) |
| Telefax Number | : 1-973-882-3959 |
| E-mail | : environmentinfo@ricoh-usa.com |

Section2 : Composition, Information on Ingredients

| Ingredients | Chemical | Contents | ACGIH | (TLV) | | OSHA | (PEL) |
|-------------------|--------------|----------|--------|-------|-----|--------|-------|
| CAS No./Common | Formula | (%) | TWA | STEL | С | TWA | С |
| Name | | | | | | | |
| Confidential | Confidential | 40-60 | N.A | N.A | N.A | N.A | N.A |
| Polyester Resin 1 | | | | | | | |
| Confidential | Confidential | 30-50 | N.A | N.A | N.A | N.A | N.A |
| Polyester Resin 2 | | | | | | | |
| 77804-81-0 | C36H32N10 | 1-10 | N.A | N.A | N.A | N.A | N.A |
| | O8 | | | | | | |
| Organic Pigment | | | | | | | |
| Confidential | Confidential | 1-5 | | N.A | N.A | | N.A |
| Wax | | | 2mg/m3 | | | 2mg/m3 | |
| Confidential | Confidential | 1-5 | N.A | N.A | N.A | N.A | N.A |
| Silica | | | | | | | |
| Confidential | Confidential | 1-5 | N.A | N.A | N.A | N.A | N.A |
| Organic Salt | | | | | | | |
| | | | | | | | |
| | | | | | | | |

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).



| | Section3 : | Hazards Identification | on | |
|------|------------|------------------------|-----------------|-------------------|
| | \$1 | ⋩☆☆☆ Emergenc | y Overview ☆☆☆; | & \ |
| HMIS | Health: 1 | Flammabilit : 1 | Reactivity : 0 | PPE:See section 8 |
| NFPA | Health: 1 | Flammabilit : 1 y | Reactivity : 0 | |

The Most Important Hazards

Adverse Human Health Effects :

There are no significant hazards expected with intended use.

Potential Health Effects

Primary Entry Routes :

Inhalation ; Yes

Skin ; Yes

Ingestion ; Yes

Environmental Effects :

There are no significant hazards expected with intended use.

Physical and Chemical Hazards :

There are no significant hazards expected with intended use.

Specific Hazards :

Dust explosion (like most finely grained organic powders)

Main Symptoms :

Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA.

Medical Conditions Aggravated by Exposure

Not applicable Classification of the Chemical Product

This mixture is not classified as dangerous.

Section4 : First Aid Measures

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice.

Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention :

Immediate medical attention is not required.

Section5 : Fire Fighting Measures

Flash Point (degrees centigrade) : Not applicable Burning Rate (mm/sec) : 0.223 or below Autoignition Temperature (degrees : Not available centigrade) Flammable Limits(%) : LEL Not available **UEL Not available** Extinguishing Media to Avoid : Not applicable. Specific Hazards : Can form explosive dust-air mixtures when finely dispersed in air. Fire-Fighting Instructions / Specific Method : No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Firefighters :

Wear gloves, glasses, a mask if necessary.

Section6 : Accidental Release Measures

Personal Precautions : Do not breathe in dust. **Environment Precautions:** Do not flush into sewers or watercourses. Methods for Cleaning Up : Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. Section7 : Handling and Storage Handling : **Technical Measures/Precautions** Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : **Technical Measures**

Not applicable

Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight.

Packaging material

Not applicable Specific Use(s) : Image formation in printing machines or copiers.

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.



Section8 : Exposure Controls/Personal Protection

| Technical measures : Use adequate ventilation Control Parameters Exposure Limit Value (1) | . None required with intended us | e. |
|--|------------------------------------|---------------------------------------|
| ÚSA OSHA PEL (TŴA) | : 15mg/m3 (Total dust) | 5.0mg/m3 (Respirable fraction) |
| ACGIH TLV (TWA) | : 10mg/m3 (Inhalable fraction) | 3.0mg/m3 (Respirable fraction) |
| DFG MAK | : 4.0mg/m3 (Total dust) | 1.5mg/m3 (Respirable fraction) |
| Personal Protection | | |
| Respiratory Protections (S | pecify Type) | |
| None required in normal respirator. | use. If the limit of exposure conc | entration is exceeded, use authorised |
| Eye Protection | | |
| Put on goggles if necess | ary. | |
| Protective Gloves | | |
| Use vinyl or rubber glove | s if necessary. | |
| Protective Clothing or Equ | • | |
| | apron or other impervious clothir | ng if necessary. |
| Hygiene Measures | | |
| Wash hands after handlin | ng. | |

Section9 : Physical and Chemical Properties

| Appearance | | |
|---|---|--|
| Physical state : Solic | | |
| Form : Pow | | |
| Colour : Yello | W | |
| Odor | : Slightly plastic odor | |
| рН | : Not applicable | |
| Boiling Point (degrees centigrade) | : Not applica | ble |
| Vapor Pressure (Pa) | Not applicable | |
| Vapor Density (AIR=1) | : Not applicable | |
| Density (g/cm3) | : Approx.1.2 | Measuring Temp (degrees centigrade) : 25 |
| Formula Weight | | |
| | | point) Approx.110 |
| centigrade) | (3) | |
| e , | ature (degrees | : Not available |
| Viscosity (Pa·s) | : Not applicable | |
| Volatile (%) | : 0.2 or below | |
| Evaporation Rate (Butyl Acetate = 1) : Not applicable | | |
| Evaporation Rate (Buty | yl Acetate = 1) : Not appl | |
| | | |
| Water Solubility (g/L) | yl Acetate = 1) : Not appl : Slightly soluble g/L) : Slightly soluble | e |

Section10 : Stability and Reactivity

Stability : Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur.



Section11 : Toxicological Information

| Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available |
|--|
| Local effects |
| Acute Skin Irritation(PII) : |
| 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) |
| Acute Eye Irritation : |
| Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.) |
| Sensitization |
| Acute Allergenic Effects : |
| 0 % (Marmot) (Based on other product test results of similar ingredients.) |
| Specific Effects |
| Carcinogenicity : |
| This product does not contain the carcinogenic substances which are listed on NTP, IARC and OSHA. |
| Mutagenicity : Negative (Ames test) |
| Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. |
| Teratogenic : Not available |
| |

Section12 : Ecological Information

| Mobility : No c | lata are available on any adverse effects on the environment. |
|--------------------------------|---|
| Persistence/Degradabilit : Not | available |
| у | |
| Bioaccumulation : Not | available |
| Ecotoxicity | |
| Acute Toxicity for Fish (LC50) | : Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr |
| Acute Toxicity for Daphnia | : Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr |
| (EC50) | |
| Algae Inhibition Test (IC50) | : Not classified as toxic (EU Directive 1999/45/EC)mg/I/72hr |

OFFICEWOORLD

Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulations

| : Not applicable | | |
|--|--|--|
| Not applicable | | |
| : Not applicable | | |
| | | |
| : Not applicable | | |
| | | |
| : Not applicable | | |
| : Not applicable | | |
| Specific Precautionary Transport Measures and Conditions | | |
| in quality. | | |
| | | |

Section15 : Regulatory Information

Regulations **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65: Not regulated Canada Information WHMIS Controlled product : Not a controlled product EU Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC

Section16 : Other Information

| [NFPA] Hazaro | Hazardous Materials Identification System [HMIS]& National Fire Protection Association d Rating Systems: | | | |
|---------------------------------|--|--|--|--|
| | Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation: | | | |
| | azard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard so be used in both systems: | | | |
| Blue=Health H HMIS will spec | lazard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard cify any Personal Protective Equipment regired [PPE], | | | |
| xx(Radioactive | cify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), | | | |
| Literature Refe | | | | |
| ANSI Z400.1 ISO 11014-1 | -1993 | | | |
| | Directive 91/155/EEC | | | |
| | "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, ing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, | | | |
| | Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, | | | |
| U.Mohr, S.Ta | akenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Rats" Fundamental and Applied Toxicology 17,pp280-299 | | | |
| IARC (2008) | "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, | | | |
| Vol.93" NIOSH CUR | RENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation | | | |
| | ional Exposure to Titanium Dioxide DRAFT" | | | |
| ACGIH-TLV | : Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices | | | |
| OSHA Z-Ta | | | | |
| NTP (USA) | : US Department of Health and Human Services National Toxicology | | | |
| | Program Annual Report on Carcinogens DFG-MAK(GER): DFG List of MAK and BAT Value | | | |
| Symbol (EC) | | | | |
| 91/155/ EEC 1999/45/EC | | | | |
| 76/769/EEC | : EU Directive 76/769/EEC | | | |
| EC 304/2003 | | | | |
| | Council of 28 January 2003 concerning the export and import of dangerous chemicals | | | |
| WHMIS Con | | | | |
| product | | | | |
| OELs-TWA (| Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)] | | | |
| Abbreviations | | | | |
| OSHA PEL | PEL (Permissible Exposure Limit) under Occupational Safety and Health Act | | | |
| ACGIH-TLV | TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hygienists | | | |
| DFG-MAK RoHS | MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft Restriction of the use of certain Hazardous Substances in Electrical and Electronic | | | |
| RUNO | Equipment | | | |
| TWA | Time Weighted Average | | | |
| IARC | International Agency for Research on Cancer | | | |
| NTP | National Toxicology Program | | | |
| WHMIS NOHSC | Workplace Hazardous Information System National Occupational Health and Safety Commission Act 1985 | | | |
| NOTIOC | National Occupational Ficality and Galety Commission Act 1903 | | | |
| | | | | |

-9-

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

Disclaimer(s):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Americas Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.