

# MATERIAL SAFETY DATA SHEET

## Thermal Facsimile Paper

### PM Company

1500 Kemper Meadow Drive  
Cincinnati, OH 45240-1638

Company contact: Darlene Walsh  
Telephone number: 513-742-7708

### SECTION #1 — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Names)	OSHA PEL	ACGIH TLV	Other Limits Recommended	%
None. Under normal conditions of use. PM Co's Thermal Paper does not release or otherwise result in exposure to a hazardous chemical subject to disclosure requirements of the Hazard Communication Standard.				

### SECTION #2 — Physical/Chemical Characteristics

Boiling Point/Freezing Point	N/A	Specific Gravity (H <sub>2</sub> O=1)	1.02
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR=1)	<1	Evaporation Rate (Butyl Acetate=1)	N/D
Solubility in Water: <b>Insoluble</b>			
Appearance and Odor: Paper in roll or sheet form; faint odor			

### SECTION #3 — Fire and Explosion Hazard Data

Flash Point (Method Used) >200° F	Flammable Limits N/D	LEL N/A	UEL N/A
Extinguishing Media:	Water, CO <sub>2</sub> , Foam, Dry chemicals		
Special Fire Fighting Procedures:	None believed required		
Usual Fire and Explosion Hazards: None known to PM Company.			

N/A = Not Applicable/Not Available

N/D = Not Determined



**SECTION #4 — Reactivity Data**

Stability	Unstable		Conditions to Avoid None
	Stable	X	
Incompatibility (Materials to Avoid)		Strong oxidizers	
Hazardous Decomposition or Byproducts		None known to PM Company.	
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	None known to PM Company.

**SECTION #5 - Health Hazard Data**

Route(s) of Entry: <b>CONTACT</b>	Inhalation?	Skin? X	Ingestion? Unlikely
Health Hazards (Acute and Chronic) None known to PM Company. Affects, if any, will be similar to those of handling large amounts of any type of paper, i.e., drying or chapping of skin, mild skin irritation, etc. Chronic overexposure to product may cause irritation of skin and eyes (paper dust).			
Carcinogenicity: None known to PM Company.	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure See health hazards, above.			
Medical Conditions Generally Aggravated by Exposure None known to PM Company.			
Emergency and First Aid Procedures None required. If skin drying, chapping or irritation occurs and is believed due to paper handling, wash hands thoroughly with mild soap and water and apply a mild skin lotion or cream.			

**SECTION #6 - Precautions for Safe Handling and Use**

Steps to be Taken in Case Material is Released or Spilled N/A
Waste Disposal Method PM Company Thermal Paper is not a hazardous waste as defined in 40 CFR 261. PM Company Thermal Paper may be recycled, incinerated or disposed of in an approved landfill in accordance with state and local regulations.
Precautions to Be Taken in Handling and Storing Do not store/handle products in presence of heat, sparks or open flame.
Other Precautions Do not take internally.

**SECTION #7 - Control Measures**

Respiratory Protection (Specify Type) Not necessary under normal use condition.		
Ventilation  N/A	Local Exhaust Not required.	Special
	Mechanical (General) Is satisfactory	Other
Protective Gloves Not required in normal use.		Eye Protection Not Required
Other Protective Clothing or Equipment Clothing protection – paper cuts		
Work/Hygienic Practices Follow normal hygiene practice. Wash hands after handling papers and before eating or drinking food and beverages. Keep work area clean.		

**DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES**

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information of the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

**PM COMPANY**

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

