Identity Group, LLC

MATERIAL SAFETY DATA SHEET

REVISION DATE:	11/15/2006	PREPARED BY:	S. Hinton
ADDRESS:	1480 Gould Drive	PHONE:	(931) 432-4000
	Cookeville, TN 38506 24 Hour Emergency Contact:	CHEMTREC 1-800-424-9300	

PRODUCT IDENTIFICATION

	Reinking Ink 13845, 3845, 4830, RFR01, RFR25	COLOR: 5, RFR25-L, IR63	Red
MANUFACTURER: CHEMICAL TYPE:	Porelon Glycol-based ink	FORMULA:	Proprietary

HAZARDOUS INGREDIENTS					
Per OSHA 29 CFR1910.1200 EXPOSURE LIMITS			RE LIMITS		
			ACGIH	OSHA	
CHEMICAL NAME	<u>CAS #</u>	<u>%</u>	(TLV)	(PEL)	
Diethanolamine Diethylene Glycol	111-42-2 111-46-6	2.4% 67%	3 ppm TWA	3 ppm TWA	
Chromium (III)	7440-47-3	0.2%	0.5 mg/m3	0.5 mg/m3	

Manufacturer states all other ingredient information is proprietary or non-hazardous as defined by the Hazard Communication Standard (29 CFR 1910.1200)

BOILING POINT, Deg F:
MELTING POINT, Deg F:
VAPOR DENSITY:
APPEARANCE / ODOR:

> 300 NA Heavier Colored liquid, mild odor SPECIFIC GRAVITY: WATER SOLUBILITY: VAPOR PRESSURE: EVAPORATION RATE

0.9 - 1.0 Negligible Negligible Slower

Page 2

FIRE AND EXPLOSION

FLASH POINT, Deg. F: > 200, TCC

AUTOIGNITION TEMP: N/A FIRE EXTINGUISHING MATERIALS: SPECIAL FIREFIGHTING PROCEDURES: FLAMMABLE LIMITS IN AIR: UPPER: N/A LOWER: N/A

Water spray, carbon dioxide, dry chemical Wear self-contained breathing apparatus and protective clothing None

UNUSUAL FIRE AND EXPLOSION HAZARDS:

HEALTH HAZARD IDENTIFICATION

HMIS Rating:

Health: 3

Flammability: 1 Reactivity: 0

NOTE: HMIS and NFPA ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information in the MSDS must be considered.

FIRST AID / EMERGENCY PROCEDURES

EYE CONTACT: Any material that contacts the eye should be immediately flushed with water, lifting the upper and lower lids. Get immediate medical attention if any symptoms occur. **SKIN CONTACT:** Wash immediately with soap and water. Apply skin cream if irritated. Seek medical attention if symptoms occur. INHALATION: If symptomatic, move to fresh air. Get medical attention if symptoms persist.

INGESTION: Unknown - None expected. Seek medical attention

Non-regulated

NA

NA

SUSPECT OR KNOWN CARCINOGEN:

No

No

CONTAINS PROPOSITION 65 LISTED CHEMICALS:

TRANSPORTATION INFORMATION

D.O.T. Shipping Name: DOT Hazard Class: **UN Number:** Exemptions and other requirements may apply, consult 49 CFR - Transportation

REACTIVITY DATA

STABILITY:

STABLE: XXX

UNSTABLE:

CONDITIONS TO AVOID: **MATERIALS TO AVOID:** HAZARDOUS DECOMPOSITION PRODUCTS: **HAZARDOUS POLYMERIZATION:**

Temperature Extremes Strong oxidizing agents

Combustions will produce oxides of carbon and nitrogen

Will not occur

SPILL, LEAK AND DISPOSAL PROCEDURES

SPILL RESPONSE PROCEDURES AND EMPLOYEE PROTECTION MEASURES:

Contain spills with rags of dry absorbant. Use a suitable ink cleaner to remove any residue. Wear protective gloves to minimize skin contact.

DISPOSAL METHODS: Discard waste while observing all local, state and federal regulations.

HANDLING AND STORAGE

PERSONAL PRECAUTIONARY MEASURES: PREVENTION OF FIRE AND EXPLOSION:

No additional precautions necessary No unusual hazards

Keep containers closed when not in use. Use with adequate ventilation.

Diethylene Glycol is a nephrotoxin

ACCIDENTAL RELEASE MEASURES

IN CASE OF A SPILL: Use absorbent material such as rags to contain the spill when necessary Place in proper container for disposal.

ECOLOGICAL INFORMATION

This material as not been tested overall for environmental effects. The following ingredients are noted as DOT marine pollutants in Appendix B to 49 CFR 172.101: NONE

TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE OVEREXPOSURE:

Inhalation: None expected May be irritating Eye: Skin: May be irritating Ingestion" Not expected to be a route of entry NE. None of the ingredients used have tested positive in the Ames Test

Mutagenicity: Chronic Effects:

EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Component</u>	CAS Reg. No.	OSHA	ACGIH
Diethanolamine	111-42-2	3 ppm TWA	3 ppm TWA
Chromium	7440-47-3	0.5 mg/m3	0.5 mg/m3
Ventilation:	General ventilation sufficient		
Personal Protectio	n: Good industrial hygiene practices contact, minimizing skin contact ar		include preventing eye
Respiratory Protec	tion: None should be needed under i		s with stated ventilation.
Eye Protection:	Safety Glasses		
Skin Protection:	Protective gloves to minimize cont	act to all chemicals	

REGULATORY INFORMATION

Material(s) known to the State of California to cause cancer: NONE

Material(s) known to the State of California to cause adverse reproductive effects: NONE

International Agency for Research on Cancer (IARC) components present at 0.1 % or greater: NONE

National Toxicology Program (NTP) components present at 0.1% or greater: NONE

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Ammendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: Diethanolamine 5.9 %, Chromium (III) 0.2 %

Chemical(s) subject to the reporting requirements of SARA Title III Section 304 and 40 CFR Part 302.4 (CERCLA Hazardous Substances): Diethanolamine 5.9 %, Chromium (III) 0.2 %

Chemical(s) subject to SARA Title III Section 302 and 40 CFR Part 355 (Extremely Hazardous Substances) NONE

Safety Considerations: NO SPECIAL

TSCA Status: All chemical ingredients found on TSCA Inventory

RCRA Status:If discarded in its purchased form, this product would carry the following status and
classifications by listing or characteristic codes:
Status: Non-regulatedRCRA Hazardous Waste Codes: NA

However, it is the responsibility of the end-user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste. 40 CFR 261.20-24

Page 5

NOTICE

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to asure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment.

Prepared by:

Stephanie Hinton

Title: Porelon Production Manager

NA = Not Applicable

NE = Not Established

