[MSDS NO. EX5003D-000] DATE Jun.27,1997 p. 1/ 3 MATERIAL SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME

X stamper Ink X-200

(Black, Red, Orange, Green, Blue, Purple, Brown, Pink, Yellow)

• NAME OF MANUFACTURER/SUPPLIER Shachihata Inc.

• NAME OF SECTION Research and Development Dept.

ADDRESS
 4-69,Amatuka-chou,Nishi-ku,Nagoya-shi,Aichi-ken,Japan

• TELEPHONE NUMBER 052/521/1466 • FAX NUMBER 052/521/1468

2. COMPOSITION / INFORMATION ON INGREDIENTS

•SUBSTANCE / MIXTURE Mixture

HAZARDOUS INGREDIENTS

CHEMICAL OR COMMON NAME(S) CAS NO. INGREDIENTS(wt.%)

Ethyl alcohol 64-17-5 5~15

3. HAZARDS IDENTIFICATION

- CLASS NAME OF HAZARDS CHEMICALS FOR MSDS IN JAPAN Flammable liquids
 - PHYSICAL AND CHEMICAL HAZARDS
 Flammable liquids
 - ·ADVERSE HUMAN HEALTH HAZARDS

Harmful by inhalation, in contact with skin and if swallowed.

4. FIRST-AID MEASURES

- EYE CONTACT Immediately flush with plenty of water. See medical advice immediately.
 - See medical advice immediately.
- SKIN CONTACT Wipe off with dry cloth and wash with mild soap.
 See medical advice immediately.
- **INHALATION** Move to well ventilated place. See medical advice immediately.
- INGESTION See medical advice immediately.

[MSDS NO. EX5003D-000] DATE Jun.27,1997 p. 2/3

5. FIRE-FIGHTING MEASURES

• SPECIFIC HAZARDS WITH REGARD TO FIRE-FIGHTING MEASURES In case of fire, use foam dry chemicals.



EXTINGUISHING MEDIA

Dry chemical powder, foam or carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Wipe off with dry cloth.

7. HANDLING AND STORAGE

HANDLING

- · Use only in the well-ventilated areas.
- · Avoid contact with skin or eyes.
- · Avoid inhalation and ingestion.
- · Avoid high temp. and fire.

STORAGE

- · Store in a cool and dry location.
- · Keep bottle tightly closed.
- · Keep away from heat or sunlight.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

CONTROL PARAMETERS

[Ethyl alcohol]

ACGIH TLV (1990-91) TWA 1000ppm(1880mg/m₃) OSHA PEL(1993) 1000ppm(1900mg/m₃)

ENGINEERING MEASURES

Not required.

PERSONAL PROTECTIVE EQUIPMENT

Not required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR Liquid, minor solvent odor.

• DENSITY(g/cm₃) 1.0 • BOILING POINT No data available

• VOLATILE(wt.%) 5~10 • SOLUBILITY IN WATER Insoluble

[MSDS NO. EX5003D-000] DATE Jun.27,1997 p. 3/ 3

10. PHYSICAL HAZARD(STABILITY AND REACTIVITY)

• FLASH POINT 40 (closed cup)

• AUTOIGNITION TEMPERATURE 380

EXPLOSION LIMIT No data available.

11. TOXICOLOGICAL INFORMATION

•ACUTE TOXICITY

[Ethyl alcohol]
Oral LD₅₀ (rat)
Inhalation LC₅₀ (rat)

7,060 mg/Kg 20,000 ppm/10H

12. ECOLOGICAL INFORMATION

No data available.

13, DISPOSAL CONSIDERATION

Disposal as usual industrial waste goods, soak up with absorbent materials follow

all regulations in your country.

14. TRANSPORT INFORMATION

Follow all regulations in your country.

UN NUMBER 1210

UN CLASS 3.3(Flammable liquids)

15. REGULATORY INFORMATION

Follow all regulations in your country.

16. OTHER INFORMATION

The information herein is given in good faith, but no warranty, express or implied, is made.

95-C L-X-200, d

