



Material Safety Data Sheet

Print Date: 05/01/2008 Revision Number: 0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Airwick ® Mini Freshmatic

Validation Date: 05/01/2008

Product Description: Automatic Concentrated Aerosol (0.8oz) Air Freshener, with boost function.

Item Number: Various Fragrances:-

Lavender - 0068807

Fresh Waters/Crisp Breeze - 0078014

Sparkling Citrus - 0078015 Harvest Spice - 0108504 Vanilla Passion - 0108502 Fruit Medley 0070697

AquaEssences Fresh Breeze - 0146643

Formula Number: Various Fragrances:-

Lavender - 1215-054

Fresh Waters/Crisp Breeze - 1215-055

Sparkling Citrus - 1215-056 Harvest Spice - 1276-087 Harvest Spice - 1300-046 Vanilla Passion - 1276-086

AquaEssences Fresh Breeze - 1389-043

UPC Number: Starter Kits

Fresh Breeze - 62338-79902-5 Lavender Fields - 62338-79903-2 Harvest Spice - 62338-80461-3 Vanilla Passion - 62338-80462-0 Fruit Medley - 62338-79955-1

AquaEssences Fresh Breeze - 62338-79848

Refills:

Fresh Breeze - 62338-79904-9 Lavender Fields - 623398-79907-0

Citrus - 62338-79906-3

Harvest Spice - 62338-80580-1 Vanilla Passion - 62338-80581-8 Fruit Medley - 62338-79908-7

AguaEssences Fresh Breeze - 62338-79850

Chemical characterisation: Aerosol Air Freshener

Manufacturer: Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2

1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9

Canada

Product code: D0050381 Product name: Airwick ® Mini Freshmatic

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS

Emergency telephone number: 800-888-0192 (Canada) 1-800-228-4722 (US)

Transportation Emergencies: 1-800-424-9300 (U.S. & Canada) CHEMTREC

Outside the U.S. and Canada (North America) Chemtrec call:703-527-3887

Distributor/Importer Reckitt Benckiser (Canada) Inc.

1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9

Canada

2. COMPOSITION/INFORMATION ON INGREDIENTS

Exposure limits

Components	CAS-No	Weight %	ACGIH:	OSHA:
Proprietory Fragrance OII	00-00-0	5 - 10%		None
Propellant 70	106-97-8	90 - 100%		None

3. HAZARDS IDENTIFICATION

Emergency Overview

- DANGER:FLAMMABLE
 - EYE IRRITANT
 - SKIN IRRITANT
- CAUTION! Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120F as container may burst.
 - May cause an allergic reaction in some individuals.
 - Keep away from excessive heat, sparks and open flame.
- In the event of contact with the eyes, remove contact lenses and rinse immediatley with lukewarm water for 15 minutes.

 If irritation develops or persists seek medical advice.

Physico-chemical properties:

Flammable.

Contains propellant and fragrance.

KEEP OUT OF REACH OF CHILDREN

4. FIRST AID MEASURES

Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or

combustion.

Skin contact: After contact with skin, wash immediately with plenty of water. If skin irritation

persists, call a physician

Ingestion: Rinse mouth with water and drink afterwards plenty of water. DO NOT INDUCE

VOMITING!

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. If symptoms develop or persist seek medical advice.

Notes to physician: Contains: Propellants, petroleum solvent and fragrance oils.

Aggravated Medical Conditions: NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling

aerosol products may be harmful or fatal. Help stop inhalation abuse. For

information visit www.inhalant.org.

Product code: Product name: Page 2 of 7

D0050381 Product name: Page 2 of 7

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Foam. Dry powder.

Extinguishing media which must not be used for safety Water. Water spray.

reasons:

Specific hazards: Extremely flammable. Exposure to temperatures above 49°C

(120°F) may cause bursting. All aerosols are pressurised products and will eventually burst if exposed to very high temperatures, or if involved in a fire. They will then release the propellant gas which is extremely flammable (Butane).

Unusual hazards:Move containers away from fire if possible and safe to do so.

Use water spray to cool fire exposed containers. Provide shielding for personnel exposed to venting, rupturing or

bursting containers.

Special protective equipment for firefighters: Wear self contained breathing apparatus for fire fighting if

necessary.

Specific methods:No information available.

Autoignition temperature: No information available.

Flammability Limits in Air:

lowerupperNo information availableNo information available

NFPA: Health: 2 Flammability: 3 Instability: 0

HMIS: Health: 2 Flammability: 3 Physical Hazard: 0

Key:

See also section 3

NFPA AEROSOL LEVEL: Flammability Rating 3, per NFPA 30B

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation.

Methods for cleaning up: Eliminate all sources of ignition and ventilate the area with equipment rated for use in

flammable environments.

7. HANDLING AND STORAGE

Handling: Use only in area provided with appropriate exhaust ventilation. Pressurised container:

protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Do not pierce or burn after use. Keep away from all sources of ignition. Fires involving aerosols with flammable contents are severe and can spread quickly. Warehouses or stores containing aerosols should therefore be separated from other areas by a fire resistant construction. Stores should be well ventilated. The natural

ventilation in a large open warehouse building will normally be suitable.

Storage: Store in original container in areas inaccessable to small children and pets. Store in

cool place.

Product code: Product name: Page 3 of 7

D0050381 Product name: Page 3 of 7

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

-

Engineering measures to reduce exposure: Ensure adequate ventilation.

Personal protective equipment

Respiratory protection: Self-contained breathing apparatus (SCBA).

Hand protection: None required under normal use conditions. Emergency responders should wear

impermeable gloves.

Skin and body protection: None required under normal use conditions.

Eye protection: Avoid contact with eyes Emergency responders should wear full eye and face

protection.

Hygiene measures: Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Appearance: Aerosol.

Colour: No information available. **Odour:** No information available.

pH: not applicable.

Autoignition temperature: No information available.

Specific Gravity: 0.911 @ 20C **Vapour pressure:** not determined.

Solubility:No information available. **VOC Content(%):**No information available.

Explosion limits:

upper: no data available.lower: no data available.

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Polymerization: Hazardous polymerisation does not occur.

Hazardous decomposition

products:

Oxides of carbon and unknown organic compounds.

Materials to avoid: Do not mix with other household chemicals

Conditions to avoid: Keep away from open flames, hot surfaces and sources of ignition. Pressurised

container. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not pierce or

burn after use. Do not spray on a naked flame, onto or near a fire, or any

incandescent material such as an electric fire.

Product code: D0050381

Product name: Airwick ® Mini Freshmatic Page 4 of 7

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information

Product Information

LC50/inhalation/4h/rat = LD50/dermal/rabbit = LD50/oral/rat = No information available. No information available. No information available.

Local effects

Skin irritation: May cause skin irritation in susceptible persons

Eye irritation: None expected during normal use. May cause eye irritation upon direct contact with

eyes

Inhalation NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling

aerosol products may be harmful or fatal.

Ingestion Health injuries are not known or expected under normal use

Sensitisation Not expected to be a skin sensitiser

Chronic toxicity: No information available

Specific effects

Carcinogenic effects: Not listed as carcinogenic by OSHA, NTP or IARC

Mutagenic effects: No information available

Reproductive toxicity: No information available

Target Organ Effects: No information available

Information is based on data on the components and the toxicology of similar products

12. ECOLOGICAL INFORMATION

Product Information

Mobility: not applicable.

Bioaccumulative potential: not applicable.

Ecotoxicity effects: no data available.

Aquatic toxicity: No information available.

Component Information

Proprietory Fragrance OII

Ecotoxicity: No test data on the actual product

Propellant 70

Ecotoxicity: No test data on the actual product

Other information

Product code: Product name: Page 5 of 7

D0050381 Product name: Page 5 of 7

Ozone depletion potential; ODP; (R-11 = 1) = Global warming potential (GWP) =

Additional ecological information:

No information available.

No information available.

Information given is based on data on the components and

the ecotoxicology of similar products.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Dispose of in accordance with local regulations.

Contaminated packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

UN/ID No: UN 1950, Aerosols, Flammable, Class 2.1

DOT:

Classification: UN 1950, Aerosols, Class 2.1, Limited Quantity

Re-classed as Consumer Commodity ORM-D

Proper shipping name: Consumer Commodity

U.S. DOT - Hazard Class: Not applicable Subsidiary Risk: Not applicable DOT Shipping Description: Not applicable Packing group: Not applicable DOT RQ (lbs): Not applicable ERG No: 126/171

TDG (Canada):

Classification: Consumer Commodity/Limited Quantity/LTD.QTY
Proper Shipping Name: Consumer Commodity/Limited Quantity/LTD.QTY

Status: Not applicable Packing group: Not applicable

IMDG/IMO

Classification: UN 1950, Aerosols, Class 2.1, Limited Quantity

Proper Shipping Name: Aerosols

Class: 2

Subsidiary Risk:

Packing group:

IMDG page:

Marine pollutant:

EmS:

MFAG:

Not applicable

See IMDG Code

Not applicable.

F-D, S-U

Not applicable.

See DG List

ADR/RID

Classification:
Proper Shipping Name:
Class:
Subsidiary Risk:
Packing group:
ADR/RID-Labels:
Not applicable
Not applicable
Not applicable
Not applicable

HIN: Not applicable CEFIC Tremcard No: Not applicable

ICAO/IATA:

Product code: Product name: Page 6 of 7

D0050381 Product name: Page 6 of 7

Classification: UN 1950, Aerosols, Flammable, Class 2.1, Limited Quantity

or Consumer Commodity, ID 8000 if acceptable to airline.

Proper Shipping Name:

Class:

Aerosols, Flammable/Consumer Commodity 2.1 (9 if shipped as a Consumer Commodity)

Subsidiary Risk: Not applicable Not applicable Packing group: **Maximum quantity:** See DG List

15. REGULATORY INFORMATION

International Inventories

Components	PICCS:	TSCA:	DSL:	NDSL:	ENCS:	CHINA:	AICS:	EINECS-No
Proprietory Fragrance OII			Category of					
			Danger:					
Propellant 70		Present	Present					
			Present					

U.S. Regulations:

Canada

WHMIS hazard class: not determined.

16. OTHER INFORMATION

National Fire Protection Association (U.S.A.):



HMIS (U.S.A.):

Health Hazard	2
Fire Hazard	3
Reactivity	0
Personal Protection	В

Flammability rating: NFPA Aerosol level 3, per NFPA 30B

Reason for revision: Change to NFPA flammability rating

The product should only be used as directed on the label and for the purposes Additional advice:

intended.

Prepared By: Reckitt Benckiser

Regulatory, Safety & Environmental Services Homecare

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



D0050381

Airwick ® Mini Freshmatic

Page 7 of 7