

=====

**SECTION I**

TRADE NAME.....: NCR PAPER\*, ALL GRADES  
 MSDS NUMBER .....: CEHS-30  
 SYNONYMS .....: CARBONLESS PAPER  
 MANUFACTURER .....: APPLETON PAPERS INC  
 EMERGENCY PHONE ..: 1-920-734-9841  
 OTHER CALLS .....: 1-920-991-8781  
 ADDRESS .....: 825 E. WISCONSIN AVENUE  
 CITY .....: APPLETON STATE ..:WI ZIP ..:54911  
 MSDS PREPARED BY ..: MICHAEL F. STEVENS  
 DATE PREPARED ....: 11/15/96 LATEST REVISION DATE: 6-19-00

**SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

<i>INGREDIENT NAME</i>	<i>CAS#</i>	<i>OSHA PEL</i>	<i>ACGIH TLV</i>	<i>OTHER</i>	<i>%</i>
------------------------	-------------	---------------------	----------------------	--------------	----------

-----  
 NONE. NCR PAPER\* BRAND CARBONLESS PAPER DOES NOT RELEASE OR OTHERWISE RESULT IN EXPOSURE TO A HAZARDOUS CHEMICAL SUBJECT TO DISCLOSURE REQUIREMENTS OF THE HAZARD COMMUNICATIONS STANDARD.  
 -----

\*\*\*\*\* ADDITIONAL INFORMATION \*\*\*\*\*

- (1) NON-HAZARDOUS COMPONENT AS DEFINED BY 29 CFR 1910.1200. LISTED HERE PER NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW ACT.
- (2) LISTED ON MASSACHUSETTS SUBSTANCE LIST

NE = NOT ESTABLISHED

**SECTION III - CHEMICAL CHARACTERISTICS**

<i>BOILING POINT</i>	<i>MELTING POINT</i>	<i>FREEZING POINT</i>	<i>SPECIFIC GRAVITY (H2O = 1)</i>
NA	NA	NA	1.02

\*NCR PAPER IS A TRADEMARK OF NCR CORPORATION, LICENSED TO APPLETON PAPERS INC.

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.



TRADE NAME: NCR PAPER

=====

**SECTION III - CHEMICAL CHARACTERISTICS, CONTINUED**

<i>PERCENT VOLATILE by VOLUME</i>	<i>THEORETICAL VOC CONTENT (percent of WEIGHT)</i>	<i>WEIGHT PER GALLON</i>	
NA	NA	NA	

*pH (Conc):* NA (NA = NOT APPLICABLE)

<i>VAPOR PRESSURE (mm of Hg)</i>	<i>VAPOR DENSITY (Air = 1)</i>	<i>DENSITY</i>	<i>EVAPORATION RATE Basis (BUTYL ACET=1)</i>
NA	< 1	NA	NOT DETERMINED

*SOLUBILITY IN WATER*  
NA

*REACTIVITY IN WATER*  
NOT REACTIVE

*APPEARANCE AND ODOR:*  
PAPER IN ROLL OR SHEET FORM, FAINT ODOR

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

<i>FLASH POINT</i>	<i>METHOD</i>	<i>FLAMMABLE LIMITS IN AIR (%)</i>		<i>AUTOIGNITION TEMPERATURE</i>
>200F	----	UPPER = ND	LOWER = ND	ND

*HMIS CODES: (HEALTH/FLAMMABILITY/REACTIVITY/PROTECTION) = 0/0/0/-*

*EXTINGUISHER MEDIA:* WATER, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL

*SPECIAL FIRE FIGHTING PROCEDURES:* NONE KNOWN TO APPLETON PAPERS

*UNUSUAL FIRE AND EXPLOSION HAZARDS:* NONE KNOWN TO APPLETON PAPERS

\*\*\*\*\* ADDITIONAL INFORMATION \*\*\*\*\*

NE = NOT ESTIMATED  
ND = NOT DETERMINED

**SECTION V - REACTIVITY DATA**

*IS THIS CHEMICAL STABLE UNDER NORMAL CONDITIONS OF HANDLING/STORAGE (Y/N)?* Y

*CONDITIONS TO AVOID (REGARDING STABILITY):* NONE


*INCOMPATIBILITY (MATERIALS TO AVOID):* STRONG OXIDIZERS

*HAZARDOUS DECOMPOSITION PRODUCTS:* NONE KNOWN TO APPLETON PAPERS

*HAZARDOUS POLYMERIZATION POSSIBLE (Y/N) ?* N

*CONDITIONS TO AVOID (REGARDING POLYMERIZATION):* NONE KNOWN TO APPLETON PAPERS

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.



TRADE NAME: NCR PAPER

=====

**SECTION VI - HEALTH HAZARDS**

ROUTES OF ENTRY: SKIN ABSORPTION (INGESTION UNLIKELY)

SIGNS AND SYMPTOMS OF ACUTE OVEREXPOSURE:

SKIN REDDENING AND/OR IRRITATION (PAPER CAN ABSORB SKIN OILS).

CHRONIC OVEREXPOSURE:

REPEATED OR PROLONGED OVER-EXPOSURE TO PRODUCT MAY CAUSE IRRITATION OF SKIN AND EYES (PAPER DUST).

CHEMICAL LISTED AS A CARCINOGEN OR POTENTIAL CARCINOGEN

NATIONAL TOXICOLOGY PROGRAM

IARC MONOGRAPHS

OSHA

(Y/N): N

(Y/N): N

(Y/N): N

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

NONE KNOWN TO APPLETON PAPERS

\*\*\*\*\* EMERGENCY AND FIRST AID PROCEDURES \*\*\*\*\*

\* \_\_\_\_\_ \*

\* EMERGENCY PHONE NUMBER OF MANUFACTURER: NA \*

\* \_\_\_\_\_ \*

\* INHALATION: IF AFFECTED, MOVE TO FRESH AIR. \*

\* \_\_\_\_\_ \*

\* EYE CONTACT: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF \*

\* CLEAN RUNNING WATER. \*

\* \_\_\_\_\_ \*

\* SKIN CONTACT: IF PROBLEMS OCCUR, FLUSH WITH CLEAN WATER. WASH \*

\* WITH SOAP AND WATER. USE UNMEDICATED SKIN CREAM FOR DRY SKIN. \*

\* \_\_\_\_\_ \*

\* INGESTION: IF INGESTED, DO NOT INDUCE VOMITING. DRINK A LARGE AMOUNT \*

\* OF WATER OR MILK AND CALL A PHYSICIAN. \*

\* \_\_\_\_\_ \*

\*\*\*\*\*

**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE**

HAZARD CLASS\* . . . . .: NONE

HAZARD CLASS\*\* . . . . .: NA

US DOT ID NUMBER . . . . .: NONE

US DOT ID NUMBER . . . . .: NA

UN/NA NUMBER . . . . .: NONE

UN/NA NUMBER . . . . .: NA

WHMIS CLASS/DIVISION: NONE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

DO NOT STORE OR HANDLE PRODUCTS IN THE PRESENCE OF HEAT, SPARKS, OR OPEN FLAME.

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.



=====

**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE, CONTINUED**

*OTHER PRECAUTIONS:* DO NOT TAKE INTERNALLY.

*STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:*

REMOVE IGNITION SOURCES. CONTAIN SPILL. PICK UP AND CONTAINERIZE FOR SUBSEQUENT DISPOSAL/RECYCLE. FLUSH AREA WITH WATER TO REMOVE PRODUCT RESIDUE, DIRECTING FLUSHATE TO THE SEWER.

*WASTE DISPOSAL METHODS:*

DISPOSE OF IN ACCORDANCE WITH APPLICABLE STATE OR COMMUNITY REGULATIONS. RECYCLE IF POSSIBLE.

**SECTION VIII - CONTROL MEASURES**

*RESPIRATORY PROTECTION:*

NOT REQUIRED IN NORMAL USE

*VENTILATION REQUIREMENTS:*

LOCAL OR MECHANICAL EXHAUST IS SATISFACTORY

*LOCAL EXHAUST:*

NOT REQUIRED

*MECHANICAL:*

SATISFACTORY

*SPECIAL:*

NOT REQUIRED UNDER NORMAL USE CONDITIONS

*OTHER:*

NOT APPLICABLE

*PROTECTIVE GLOVES:*

NOT REQUIRED IN NORMAL USE

*EYE PROTECTION:*

NOT REQUIRED IN NORMAL USE

*OTHER PROTECTIVE CLOTHING OR EQUIPMENT:*

CLOTHING PROTECTION (PAPER CUTS)

*WORK/HYGIENIC PRACTICES:*

KEEP WORK AREA CLEAN.

HMIS HAZARD RATING:

0 = HEALTH

0 = FLAMMABILITY

0 = REACTIVITY

- = PERSONAL PROTECTIVE EQUIPMENT

OfficeWorld.com does not independently verify, and accordingly does not warrant, the accuracy of any information contained in this MSDS.

